

# Healthy

## Healthy business innovation

General catalogue 2020

# business



# innovation



# Hello, healthy future

At Zumex, we believe in a healthier world. We have **over 30 years' experience** in designing and manufacturing juicing solutions. This is a great track record for improving **people's nutritional wellbeing**.



Your strategic partner in developing your juice business



+ 30 years

+ 100 countries

3 lines of business

**Foodservice & Retail**  
Automatic citrus juicers and commercial juicers for the catering, hotel and retail industries.

**Vending**  
Vending solutions for freshly squeezed juice anywhere.

**Food Engineering**  
Customised engineering projects to supply industrial-scale fruit and vegetable juicing solutions.

6 subsidiaries

**Spain**  
Headquarters  
**France**  
**Deutschland**  
**United Kingdom**  
**North America**  
**México**



# Zumex is good for you



5 YEAR WARRANTY



GLOBAL COVER



TECHNICAL ASSISTANCE




MADE IN SPAIN

Zumex Service provides **the best warranty and technical assistance with worldwide cover.**

**We invest heavily in the design and innovation of our solutions so we can deliver the best freshly squeezed juice.**




**Our track record has made us world leaders in automatic juicers for food service and retail.**



**1**  
**Design**

**2**  
**Innovation**




**3**  
**Technology**



Antibacterial  
nanotechnology

**Food hygiene certified.** Our exclusive silver ion-based antibacterial technology **inhibits the growth** of bacteria, ensuring long-lasting, extra-efficient protection.

ASP®



Rotating system



Accurate, clean cut



Optimal performance

The heart of our juicers has become the core of **our success** and that of our customers.

Our system **provides optimal juice output and premium quality juice**, ensuring no juice comes into contact with the peel thus preventing the essential oils and acid it contains from contaminating it.

Original System®



# Experts in citrus, pomegranates and multifruit juices



CITRUS



Juice all your citrus fruit with our extraction kits.




**S 1Step Kit** 45-67 mm  
Limes | Lemons | Oranges


**M 1Step Kit** 65-81 mm  
Lemons | Oranges | Grapefruit

**L 1Step Kit** 75-95 mm  
Lemons | Oranges | Grapefruit

MULTIFRUIT



Juices all fruit and vegetables.



**Titanium shredding disc**  
Up to 75 mm (larger fruit and vegetables will need to be chopped into smaller pieces)

Zumex has juicing solutions for all types of citrus fruit, pomegranates and multifruit.

## Efficiency

Our machines juice the most out of all types of fruit.

## Versatility

Check out our broad range of juicing kits. They make your business more versatile, and offer you the best juice, instantly!

POMEGRANATES



**Pomegranates S Kit** 65-85 mm  
Pomegranates

**Pomegranates M Kit** 75-95 mm  
Pomegranates

# Zumex design

Premium design inside and out for maximum efficiency and functionality, so the juicing process flows smoothly from start to finish, from fruit to juice.

## Eye-catching lines

Avant-garde lines and finishes, and robust, premium quality materials.




Tritan BPA/BPS free



**Materials from another world.** Our covers are made out of tritan. This safe, resistant, lightweight material is perfect for food contact requirements and provides transparency in the juicing process.



**Our juicers hold the most stringent international certificates for hygienic** performance and ease of cleaning, helping you to obtain the HACCP certificate.



**Sure of ourselves.** We lead the industry and are confident that our products are reliable. That's why we offer an extended five-year warranty.



# The winner is... natural, healthy juice

Freshly squeezed juice has established itself as a new category, making it easier for everyone to enjoy fruit in a **simple, healthy and fun way**.



## Easy and transparent


From fruit to juice  
in an instant

Zumex's juicing  
process preserves all  
the flavour and  
nutritional properties  
of fruit, naturally.

The "Five-a-day Association"  
recommends drinking **a glass of juice  
every day** (150-200 ml) together with  
another **four servings** of a variety of fruit  
and vegetables.



### Evolution of juice category



\*European Fruit Juice Association (AIJN) Report.

The concept of  
**healthy eating** is a  
**constant** for people  
and businesses  
today.



A 100 ml glass of  
juice provides the  
recommended daily  
intake of vitamin C for  
children aged 4 to 13.



# Premium professional juicing solutions



MULTIFRUIT  
Multifruit



CITRUS  
Soul



Minex



Essential Pro



Versatile Pro



Versatile Pro  
Cashless



Speed Pro Basic



Speed Up



Speed S +plus

Countertop  
models

All-in-One  
models



POMEGRANATES  
Speed  
Pomegranates



CITRUS  
Versatile Pro  
All-in-One



Versatile Pro  
All-in-One  
Cashless



Speed Pro  
Cooler



Speed Up  
All-in-One



Speed S +plus  
All-in-One



Speed S +plus Tank  
All-in-One




Juicing solutions for supermarkets, convenience stores, bakeries, hotels, juice bars, cafés, restaurants and a whole range of other businesses looking to add freshly squeezed juice to the options on offer.

# MULTIFRUIT


## Power to the healthy!

Zumex's iconic commercial juicer is perfectly equipped to work hard and deliver **outstanding performance** in juicing all fruit and vegetables from apples, kiwis and pineapples to carrots, cucumber, celery and ginger.

- ① **EXCELLENT PERFORMANCE**
- ② **24-HOUR, NON-STOP SERVICE**
- ③ **HEAVY-DUTY**
- ④ **FAST AND SILENT**
- ⑤ **NEVER-ENDING AUTONOMY WITH THE NEW COUNTERTOP KIT**



Multifruit is available in **five colours**



**More hygienic tap with an improved grip and optimal flow.**

The **brushless motor** is more powerful and can be used four times longer than a conventional motor. No friction. No heat release.

The **Speed Control System** maintains a constant speed, delivering extra power when needed.

**Lowest energy consumption in its class.**

**Safety system.** The machine stops the disc from turning if the juicer is opened.

## Big personality, stylish finishes

**Functional pusher**  
Broad 75 mm opening

**TITANIUM**  
powered by ZUMEX®

**Titanium shredding disc**  
Maximum shredding power and sharper cutting for longer for all fruit and vegetables

**Easy Grip tap**  
with non-slip finish

**Two speeds**


The speed can be regulated according to the different fruit and vegetables.

**SOFT FRUIT**  
3,500 rpm


**HARD FRUIT**  
4,500 rpm



  
Efficient **centrifuging** and filtering

  
**Silent block** system prevents vibration

 180°  
Rotating **non-drip tap**

  
**High-capacity** built-in waste bucket (13 litres)

**Removable drip tray**  
Improved drip tray design

## Technical specs

<b>Fruit</b>	Fruit and vegetables	<b>Power</b>	870 W   1.17 HP
<b>Speed</b>	3,500 rpm   4,500 rpm	<b>Energy consumption</b>	1.8 A
<b>Fruit diameter</b>	Up to 75 mm (larger fruit and vegetables will need to be chopped into smaller pieces)	<b>Protection against moisture</b>	IPX1
<b>Dimensions</b> Width   Depth   Height	290 x 500 x 510 mm 11.4" x 19.7" x 20.1"	<b>Safety</b>	One micro switch on handle and one on waste bucket. Safety detection system and thermal overload relay
<b>Net weight</b>	15 kg   33 lb	<b>Sound pressure level</b>	Below 70 dB
<b>Voltage</b>	220-240 V   50-60 Hz 115 V   60 Hz		



See accessories on page 41





# SOUL

## The most compact juicer on the market

Enjoy the essence of a signature juice with the **new Push&Juice concept**. **Pure design** for venues with soul.

- ① SMALL IN SIZE, **BIG ON PERFORMANCE**
- ② **THE PERFECT JUICE IN 15 SECONDS**
- ③ THE ONLY ONE WITH SOUL
- ④ **360° DESIGN**

-  Oranges, lemons and limes  
Up to 80 mm
-  Removable juicing system

Stylish, avant-garde design in the smallest of spaces



**Push&Juice**  
The natural way to make juice, at the push of a button

**All the taste and flavour of a signature juice**

The fruit is handled with tender loving care to produce delicious, premium quality juice that is free of essential oils



### Conical System®

The system moves the fruit until it is perfectly centred to ensure clean accurate cutting, **obtaining the maximum amount of juice and flavour** from each piece of fruit.



Conical System®



Type of demand MODERATE

The revolutionary **Conical System®** ensures accurate, clean cutting.

The new **Push&Juice** concept has an intuitive button that changes colour according to status.

**Up&Down** high flow, non-drip tap

**Built-in waste bucket** is easy to remove and clean.

### Technical specs



See accessories on page 41


<b>Fruit</b>	Oranges, lemons and limes	<b>Voltage</b>	220-240 V   50-60 Hz 100-115 V   50-60 Hz
<b>Pieces of fruit per minute</b>	12 pieces of fruit per minute	<b>Power</b>	90 W   0.12 HP 115 W   0.15 HP
<b>Speed</b>	1 serving of juice in 15 seconds	<b>Energy consumption</b>	0.4 A / 1.3 A
<b>Capacity</b>	3 - 4 pieces of fruit	<b>Protection against moisture</b>	IPX0
<b>Fruit diameter</b>	50 - 80 mm (recommended size: 64 - 76 mm)	<b>Sound pressure level</b>	54 dB
<b>Dimensions</b> Width   Depth   Height	260 x 430 x 435 mm 10.2" x 16.9" x 17.1"	<b>Safety</b>	Micro switch on front opening and motor seizure sensor
<b>Net weight</b>	17 kg   37.5 lb		

# Minex

## Zumex's eye-catching, mix-and-match juicer

With its **bold, cosmopolitan** design, Minex adds extra colour, zest and style to any bar or café.

- ① **SMALLER FOOTPRINT**
- ② **BIG ON STYLE**
- ③ **NON-DRIP TAP**
- ④ **EASY TO DISASSEMBLE AND CLEAN**
- ⑤ **PUSH BUTTON SYSTEM, FRESHLY SQUEEZED JUICE IN 15 SECONDS**



### Twelve colours to match the style of your business



Minex Colour Kits are also available as accessories

Clean, efficient and compact juicing system with **ASP® antibacterial** technology.


Two ways to serve juice with **self-service tap** or **built-in jug**.

**Built-in waste bucket**

## Chameleon Style. Match your juicer to your premises with a choice of 12 different colours



Digital display and orange counter

 Compact and efficient

 Original System®

 Antibacterial technology

 Type of demand MODERATE

Jug capacity: 750 ml

### Technical specs

<b>Pieces of fruit per minute</b>	13 pieces of fruit per minute	<b>Power</b>	44 W   0.06 HP
<b>Capacity</b>	6 - 7 pieces of fruit	<b>Energy consumption</b>	0.2 A / 0.45 A
<b>Fruit diameter</b>	65 - 78 mm	<b>Protection against moisture</b>	IPX0
<b>Dimensions</b> Width   Depth   Height	383 x 368 x 712 mm 15.1" x 14.5" x 28"	<b>Safety</b>	Three safety devices and motor seizure sensor
<b>Net weight</b>	19.5 kg   43 lb	<b>Jug capacity</b>	750 ml (25.3 FL OZ)
<b>Voltage</b>	Multivoltage 220-240 V   50-60 Hz 100-115 V   50-60 Hz		



# Essential Pro

## The simplicity you need

Ideal for **all types of cafés** or premises where **simplicity** is essentially what matters most.

- ① PRACTICAL SIMPLICITY
- ② TOUCH CONTROL DIGITAL DISPLAY
- ③ 22 ORANGES PER MINUTE
- ④ EASY TO DISASSEMBLE AND CLEAN



Original System®



Antibacterial technology



Type of demand MEDIUM

Essential Pro is available in **four colours**



Orange

Silver

Graphite

Black

**Quick and easy juicing.** Manual feeder with capacity for 4-5 pieces of citrus fruit.

### Two operating modes

**Self-service:** the juice is served directly into the glass or jug.


**Professional:** the juicer starts up automatically when the citrus fruit is placed into the feeder.

**Kit S** for smaller citrus fruit, such as limes and lemons (45-67 mm).

## User-friendly design



Feed and juice



Quality and food hygiene guaranteed



Display digital and orange counter

The **self-service** mode comes with a **non-drip tap** which also has a **special position** for automatic dispensing

**Built-in waste buckets**  
See countertop kit accessory for continuous waste removal

## Technical specs



See accessories on page 41

<b>Pieces of fruit per minute</b>	22 pieces of fruit per minute	<b>Voltage</b>	220-240 V   50-60 Hz 115 V   60 Hz
<b>Capacity</b>	4 - 5 pieces of fruit	<b>Power</b>	300 W   0.40 HP 320 W   0.43 HP
<b>Fruit diameter</b>	65 - 81 mm	<b>Energy consumption</b>	2.7 A
<b>Dimensions</b> Width   Depth   Height	470 x 500 x 750 mm 18.5" x 19.7" x 29.5"	<b>Protection against moisture</b>	IPX4
<b>Net weight</b>	45.5 kg   100 lb	<b>Safety</b>	Two safety devices and motor seizure sensor



# Versatile Pro

## RESTYLING

## All-round performance

From fruit to juice, Versatile Pro demonstrates its speed in **restaurants, cafés and hotels with high juice demands**, delivering a 250 ml serving of juice in just ten seconds.

- ① FAST SERVICE
- ② 22 PIECES OF FRUIT PER MINUTE
- ③ TOUCH CONTROL DIGITAL DISPLAY
- ④ PARTIAL AND TOTAL FRUIT COUNTER
- ⑤ EASY TO DISASSEMBLE AND CLEAN



Original System®



Antibacterial technology



Type of demand HIGH

Versatile Pro is available in **four colours**



Orange

Silver

Graphite

Black

### Two operating modes

**Self-service:** the juice is served directly into the glass or jug by pressing the tap.

**Professional:** the juice is served by selecting the exact number of pieces of fruit to be squeezed without having to push the tap. The tap must be in automatic dispensing mode.

**Tap comes with Easy Press front push button** and a special position for automatic dispensing.

## Easy-to-use countertop model

Ultra-smooth, high-capacity **feeder system** (10 kg)

**M 1Step Kit**  
For medium-sized citrus fruit (65-81 mm)

**Accessory S 1Step Kit**  
For smaller citrus fruit, such as limes and lemons (45-67 mm)


**Built-in waste buckets**  
See countertop kit accessory for continuous waste removal



**Digital display**  
Choose operating mode



Change the juicing system in just one simple step



Quality and food hygiene guaranteed

## Technical specs



See accessories on page 41

<b>Pieces of fruit per minute</b>	22 pieces of fruit per minute	<b>Voltage</b>	220-240 V   50-60 Hz 115 V   60 Hz
<b>Capacity</b>	10 kg   22 lb	<b>Power</b>	380 W   0.51 HP 320 W   0.43 HP
<b>Fruit diameter</b>	65 - 81 mm	<b>Energy consumption</b>	2.7 A
<b>Dimensions</b> Width   Depth   Height	480 x 550 x 855 mm 18.9" x 21.7" x 33.7"	<b>Protection against moisture</b>	IPX4
<b>Net weight</b>	54 kg   119 lb	<b>Safety</b>	Two safety devices and motor seizure sensor



# Versatile Pro All-in-One

## The most compact self-service juicer on the market

Its built-in feeder, easy operating mode and footprint of only 0.26 m<sup>2</sup> make it the ideal, most compact juicer on the market.

### RESTYLING

- ① FAST SERVICE
- ② 22 PIECES OF FRUIT PER MINUTE
- ③ TOUCH CONTROL DIGITAL DISPLAY
- ④ EASY TO DISASSEMBLE AND CLEAN
- ⑤ EASY BOTTLE-FILLING SYSTEM



Original System®



ASP  
Antibacterial technology



Type of demand  
HIGH

Versatile Pro is available in **four colours**



**Self-service mode:** the juice is served directly into the glass or jug by pressing the tap.

**Tap comes with Easy Press front push button.**

Thanks to the three interchangeable sizes, **the new bottle holder** adapts seamlessly to any type of bottle neck for easy, simple filling.

The **Waste limit** function helps to monitor the filling level of the waste trolley.

## Podium model for retail environments



**10 kg high-capacity feeder**  
Optional safety cover available

**M 1Step Kit**  
For medium-sized citrus fruit (65-81 mm)

**S 1Step Kit**  
For smaller citrus fruit, such as limes and lemons (45-67 mm)

30 cm maximum height for tall bottles

**Lightweight, hardwearing, wheeled podium**  
Built-in trolley holds up to 52 l of waste

**Smallest footprint on the market – 0.26 m<sup>2</sup>**


**Bottle holder**  
Easier, quicker and cleaner to fill



Change the juicing system in just one simple step



Bottle holder



Quality and food hygiene guaranteed

## Technical specs



See accessories on page 41

<b>Pieces of fruit per minute</b>	22 pieces of fruit per minute	<b>Voltage</b>	220-240 V   50-60 Hz 115 V   60 Hz
<b>Feeder capacity</b>	10 kg   22 lb	<b>Power</b>	380 W   0.51 HP 320 W   0.43 HP
<b>Fruit diameter</b>	65 - 81 mm	<b>Energy consumption</b>	2.7 A
<b>Dimensions</b> Width   Depth   Height	480 x 550 x 1,660 mm 18.9" x 21.7" x 65.3"	<b>Protection against moisture</b>	IPX4
<b>Net weight</b>	87 kg   192 lb	<b>Safety</b>	Two safety devices and motor seizure sensor



# Versatile Pro Cashless

## Add some zest to your office

Perfect for offices, business centres and self-service areas that would like to offer freshly squeezed juice to employees or customers.

NEW

- ① COMPACT, TOTALLY AUTOMATIC MACHINE
- ② NEW CASHLESS PAYMENT SYSTEM
- ③ USER-FRIENDLY
- ④ SECURITY GUARANTEED



Original System®



Antibacterial technology



Type of demand HIGH

Versatile Pro Cashless is available in **two colours**



Black



Orange

**Four different ways to pay, without the need for cash:** contactless, chip, magnetic stripe and MIFARE.

The operator can set the exact number of pieces of fruit to be juiced.

**Security guaranteed** with a password that provides exclusive access to the operator. If the cover or the juice tank is opened, the machine stops serving.

The **Waste limit** function helps to monitor the filling level of the waste trolley.

## Two models for the best juice

### User-friendly panel with instructions

The user is taken through the steps to be followed during the juicing process

### Built-in waste buckets


See countertop kit accessory for continuous waste removal



**10 kg high-capacity feeder**  
Optional safety cover available

**M 1Step Kit**  
For medium-sized citrus fruit (65-81 mm)


**S 1Step Kit**  
For smaller citrus fruit, such as limes and lemons (45-67 mm)



Cashless payment system



Change the juicing system in just one simple step



Quality and food hygiene guaranteed

**Lightweight, hardwearing, wheeled podium**  
Built-in trolley holds up to 52 l of waste

## Technical specs



See accessories on page 41

<b>Pieces of fruit per minute</b>	22 pieces of fruit per minute	<b>Voltage</b>	220-240 V   50-60 Hz 115 V   60 Hz
<b>Feeder capacity</b>	10 kg   22 lb	<b>Power</b>	380 W   0.51 HP 320 W   0.43 HP
<b>Fruit diameter</b>	65 - 81 mm	<b>Energy consumption</b>	2.7 A
<b>Dimensions</b> Width   Depth   Height	For individual model sizes, see pages 25-27	<b>Protection against moisture</b>	IPX4
<b>Net weight</b>	For individual model weights, see pages 25-27	<b>Safety</b>	Two safety devices and motor seizure sensor



# Speed Up

## The freshest results with the coolest style

Ready to transform each juice corner into a truly **Fresh Place**. Speed Up brings a freshly squeezed juice service to your establishment with maximum performance.

- ① HIGH-CAPACITY FEEDER (20 KG)
- ② 40 PIECES OF FRUIT PER MINUTE
- ③ GROUNDBREAKING DESIGN



## Two models with superb autonomy

The quietest juicer of all

HACCP Compliant

Quality and food hygiene guaranteed

**M Kit**  
65 - 81 mm

**S Kit**  
45 - 67 mm

**L Kit**  
75 - 95 mm

**High-capacity basket**  
(20 kg)

Optional safety cover available

**Intelligent Touch digital display**

**Up tap**  
with bottle holder  
33.4 mm  
36 mm  
38 mm

**Drip tray**  
with direct drain to the waste buckets

**Resistant, lightweight podium**  
with a capacity of up to 100 litres, available in two finishes and two widths

See page 35 for more information

**Speed Up**

**Speed Up All-in-One**



Original System®



Antibacterial technology



Type of demand  
VERY HIGH

Speed Up is available in **two colours**



Mirror



Black

### Two operating modes

**Automatic (Self-service):** serves juice directly when the tap is pressed.

**Professional:** the operator can set the exact number of pieces of fruit to be juiced.

**Up tap:** easy-clean tap with bottle holder available in 3 sizes.

**PulpOut system:** triple filtering with automatic conveyor belt to remove the pulp and optimise performance.

### Technical specs



See accessories on page 41

<b>Pieces of fruit per minute</b>	40 pieces of fruit per minute	<b>Voltage</b>	220-240 V   50-60 Hz 120 V   60 Hz 100 V   50-60 Hz
<b>Feeder capacity</b>	20 kg   44 lb	<b>Power</b>	460 W   0.62 HP 320 W   0.43 HP 350 W   0.47 HP
<b>Fruit diameter</b>	65 - 81 mm	<b>Energy consumption</b>	1.9 A / 2.7 A / 3.5 A
<b>Dimensions</b> Width   Depth   Height	For individual model sizes, see page 49	<b>Protection against moisture</b>	IPX4
<b>Net weight</b>	For individual model weights, see page 49	<b>Safety</b>	Two safety devices and motor seizure sensor



# Speed S<sup>+</sup>plus

## The fastest, most robust juicer

The Speed S<sup>+</sup>plus solves the **highest juice demands** quickly and easily.

- ① **1STEP KIT:** THE JUICE EXTRACTING KIT CAN BE REMOVED IN 10 SECONDS.
- ② **HIGH-CAPACITY FEEDER (20 KG)**
- ③ **40 PIECES OF FRUIT PER MINUTE**
- ④ **DRAIN&CLEAN** FOR EASIER FEEDER CLEANING



Original System®

ASP

Antibacterial technology



Type of demand  
VERY HIGH

Speed S<sup>+</sup>plus is available in **two colours**



Mirror



Black

### Two operating modes

**Automatic (Self-service):** serves juice directly when the tap is pressed. The Tank model dispenses until the juice reaches the maximum fill level.

**Professional:** the operator can set the exact number of pieces of fruit to be juiced, and in the Tank model, the filling level volume can also be set.

**2Services tap** with bottle holder available in three sizes: 34.4 mm, 36 mm and 38 mm.

## Three models that adapt to you

### Speed S<sup>+</sup>plus All-in-One

**M 1Step Kit**  
65 - 81 mm


**S 1Step Kit**  
45 - 67 mm

**L 1Step Kit**  
75 - 95 mm

**Two-position tray** for serving juice in glasses or bottles, with direct drain to the waste buckets

Resistant, lightweight podium with a capacity of up to 100 litres, available in two finishes and two widths

For further information, see page 35



**2Services tap**  
Non-continuous juice flow when the tap is pressed and continuous flow when the automatic dispensing mode is selected

### Speed S<sup>+</sup>plus Tank All-in-One

**Intelligent Touch digital display**

**PulpOut System**  
triple filtering with automatic conveyor belt to remove the pulp and optimise performance


**Five-litre tank**



1Step Kit



The quietest juicer of all



Quality and food hygiene guaranteed

### Speed S<sup>+</sup>plus

## Technical specs

<b>Pieces of fruit per minute</b>	40 pieces of fruit per minute	<b>Voltage</b>	220-240 V   50-60 Hz 120 V   60 Hz 100 V   50-60 Hz
<b>Feeder capacity</b>	20 kg   44 lb	<b>Power</b>	460 W   0.62 HP 320 W   0.43 HP 350 W   0.47 HP
<b>Fruit diameter</b>	65 - 81 mm	<b>Energy consumption</b>	1.9 A / 2.7 A / 3.5 A
<b>Dimensions</b> Width   Depth   Height	For individual model sizes, see page 50	<b>Protection against moisture</b>	IPX4
<b>Net weight</b>	For individual model weights, see page 50	<b>Safety</b>	Three safety devices and motor seizure sensor



See **accessories** on page 41



# New Speed Programme

①

## Choose your juicer: Speed Up o Speed S<sup>plus</sup>

Check out all the options to adapt Speed to the style you are looking for.

②


## Configure the solution that best suits your space

Wide or narrow podium with black or stainless steel finishes.

Give your juice corner an elegant and sophisticated, or robust and simple look.



## Choose your podium according to your space and style



**Black**  
Dare to go with the sleekest look



**Mirror**  
Choose the elegance of the shiniest finish



**Drip tray**



**Two-position drip tray, for glasses and bottles**

**Narrow**  
70 cm wide

Capacity 45 kg  
300 oranges

1 Trolley  
55 L - 25 kg

Direct drain to the waste bucket

Optimise every square metre of your premises. Narrower podium

Width | Depth | Height  
710 x 626 x 787 mm

**Wide**  
80 cm wide

Capacity 70 kg  
500 oranges

2 Trolleys  
100 L - 40 kg

Direct drain to the waste bucket

Give your juicer an impressive look

Width | Depth | Height  
810 x 626 x 787 mm





# Speed Pro Basic

## The essence of the best juice

The classic juicer that delivers the best freshly squeezed juice in restaurants and cafés.

- ① FAST, EASY SERVICE
- ② HIGH-CAPACITY FEEDER (20 KG)
- ③ 40 PIECES OF FRUIT PER MINUTE
- ④ INTELLIGENT TOUCH DIGITAL DISPLAY

### Two operating modes


**Automatic:** the juice is served directly into the glass or jug by pressing the START button.

**Professional:** the operator can set the exact number of pieces of fruit to be juiced.

Simple and easy to use




## The spirit of Speed lives on



**M Kit**  
65 - 81 mm

**S Kit**  
45 - 67 mm

**L Kit**  
75 - 95 mm



Quality and food hygiene guaranteed



## in its classic versions



# Speed Pro Cooler Podium

## The freshness of chilled juice

Service areas, supermarkets... a serving of chilled, freshly squeezed juice is a great idea anywhere.

- ① READY TO DRINK, CHILLED, FRESHLY SQUEEZED JUICE
- ② ADJUSTABLE COOLER
- ③ SEVEN-LITRE TANK AND FILL-LEVEL SENSOR
- ④ 40 PIECES OF FRUIT PER MINUTE

### Two operating modes

**Automatic:** the machine dispenses until the juice reaches the maximum fill level.

**Professional:** the operator can set the fill level.

Easy to move thanks to the wheeled podium



## Technical specs



See accessories on page 41

<b>Pieces of fruit per minute</b>	40 pieces of fruit per minute
<b>Feeder capacity</b>	20 kg   44 lb
<b>Fruit diameter</b>	65 - 81 mm
<b>Dimensions</b> Width   Depth   Height	593 x 584 x 980 mm 23.3" x 23" x 38.6"
<b>Net weight</b>	66.3 kg   146.1 lb

<b>Voltage</b>	220-240 V   50-60 Hz 120 V   60 Hz 100 V   50-60 Hz
<b>Power</b>	460 W   0.62 HP 320 W   0.43 HP 350 W   0.47 HP
<b>Energy consumption</b>	1.9 A / 2.7 A / 3.5 A
<b>Protection against moisture</b>	IPX4
<b>Safety</b>	Three safety devices and motor seizure sensor

## Technical specs



See accessories on page 41

<b>Pieces of fruit per minute</b>	40 pieces of fruit per minute
<b>Feeder capacity</b>	20 kg   44 lb
<b>Fruit diameter</b>	65 - 81 mm
<b>Dimensions</b> Width   Depth   Height	675 x 727 x 1837 mm 26.6" x 28.6" x 72.3"
<b>Net weight</b>	116.1 kg   259.6 lb

<b>Voltage</b>	220-240 V   50-60 Hz 120 V   60 Hz
<b>Power</b>	560 W   0.75 HP
<b>Energy consumption</b>	2.4 A / 4.6 A
<b>Protection against moisture</b>	IPX4
<b>Safety</b>	Three safety devices and motor seizure sensor



# Speed Pomegranates

## Experts in pomegranates

The first **high-performance** juicer designed specifically for juicing all types of pomegranate.

**NEW**

- ① **POWERFUL AND ROBUST**
- ② **JUICES ALL TYPES OF POMEGRANATES**
- ③ **IDEAL FOR SERF-SERVICE CONTEXTS**
- ④ **TRIPLE FILTERING TO OBTAIN READY TO DRINK, PREMIUM QUALITY JUICE**
- ⑤ **JUICES POMEGRANATES UP TO 95 MM**



## Maximum efficiency for the best pomegranate juice

**Excellent autonomy** with over 100 kg of non-stop production

**30 pieces of fruit** per minute

**Pulp Cover** ensures maximum hygiene



**Pomegranates M Kit**  
Fruit diameter 75-95 mm

**Pomegranates S Kit**  
Fruit diameter 65-85 mm



Quality and food hygiene guaranteed

Juicing system especially designed for pomegranates

**TITANIUM**  
powered by ZUMEX®

The hardwearing titanium blade ensures excellent cutting and durability

**Up tap** with bottle holder available in three sizes

**Lightweight, hardwearing podium.** Available in two sizes, with a capacity of up to 100 litres



Original System®

ASP

Antibacterial technology



Type of demand  
VERY HIGH

Speed Pomegranates is available in:



Black

**Automatic PulpOut system:** triple filtering with extra large conveyor belt to remove seeds and optimise performance.

**High performance motor** 0.50 HP to cope with the most demanding juicing needs.

Speed Pomegranates S Kit 65-85 mm.

## Technical specs



See accessories on page 41

<b>Pieces of fruit per minute</b>	30 pomegranates per minute	<b>Voltage</b>	220-240 V   50-60 Hz 120 V   60 Hz
<b>Feeder capacity</b>	20 kg   44 lb	<b>Power</b>	370 W   0.50 HP
<b>Fruit diameter</b>	75 - 95 mm	<b>Energy consumption</b>	2.3 A / 2.9 A
<b>Dimensions</b> Width   Depth   Height	For model sizes, see page 51	<b>Protection against moisture</b>	IPX4
<b>Net weight</b>	For model weight, see page 51	<b>Safety</b>	Four safety sensors and motor seizure sensor

# Zumex Pack recycled PET

## A healthy future for the planet

These new rPET Zumex Pack bottles are made with recycled plastic, thus **reducing their environmental impact**, whilst preserving all of the juice's qualities and flavour.

Because what's good for you has to be good for everyone.



Available in 4 sizes



Preserves the organoleptic properties of the juice

**Customise your label**  
Customise your label to suit the needs of your business.




- ① 30% RECYCLED MATERIAL
- ② REDUCED CARBON FOOTPRINT
- ③ PRESERVES THE JUICE'S QUALITIES AND FLAVOUR
- ④ INHIBITS THE GROWTH OF BACTERIA

<b>Cap</b>	Threaded cap with security band
<b>Labelling options</b>	No label, paper label or transparent label. Standard or customised design
<b>Cap colours</b>	Black (standard colour), orange and translucent white
<b>Sizes</b>	1l · 50 cl · 33 cl · 25 cl

## Accessories

### JUICING SYSTEMS



#### S 1Step Kit

Limes · Lemons · Oranges  
45-67 mm

#### M 1Step Kit\*

Lemons · Oranges · Grapefruits  
65-81 mm

#### L 1Step Kit

Lemons · Oranges · Grapefruits  
75-95 mm

#### 1Step Kit

For faster and cleaner removal of the juicing system

S, M or L extraction kit. Thanks to this accessory, you can remove the juicing system in just 10 seconds and replace it with the other kit so your juicer is always operational.

\*Available as a fast cleaning accessory. It also comes as standard in the following models:

Speed S<sup>+</sup> / Versatile Pro

Versatile Pro is not compatible with the L 1Step kit



#### S Kit

For small fruit

Suitable for juicing limes, lemons, mandarins and small oranges (45 mm to 67 mm)

Essential Pro / Speed Pro / Speed Up



#### M Kit\*

For medium-sized fruit

Suitable for processing lemons, oranges and grapefruit (65 mm to 81 mm)

\*Comes as standard in the following models:  
Essential Pro / Speed Pro / Speed Up



#### L Kit

For large fruit

Suitable for processing large oranges and grapefruit (75 mm to 95 mm)

Speed Pro / Speed Up



#### S Pomegranates Kit <sup>N</sup>

Suitable for small pomegranates (65 mm to 85mm)

Speed Pomegranates



#### Juice extracting unit

Practical spare kit to keep juicing whilst the other juicing kit is being cleaned.

Soul



#### Dynamic Cutting System (DCS)

Perfect for juicing soft citrus. Easy to insert and remove.

Essential Pro / Speed Pro / Speed Up

### OTHER JUICING KITS AND CLEANING PRODUCTS



#### Filter kit and Multifruit disc <sup>N</sup>

24-hour, non-stop service  
Maximum shredding power for all fruit and vegetables and efficient centrifuging with the optimised filter.

<sup>N</sup> New



#### Citric Active <sup>N</sup>

Caring for your juicer  
Formulated to remove traces of sugar, wax, pulp and other residues.

### PAYMENT SYSTEM



#### Nayax cashless kit <sup>N</sup>

Payment system compatible with the most common cashless payment methods.



# Accessories

JUICE CORNER

Create your own juice corner with these accessories



Bottle rack

Bottle tray

Glass tray



For self-service contexts

Organise your bottles or glasses in a visible and tidy way. Available in the Speed and Versatile Pro ranges.



Two-position drip tray  
Perfect service

Two-position drip tray for serving juice in glasses or bottles, with direct drain to the waste bucket.

Accessory for the Black podium



Bottle holder <sup>N</sup>  
Highly versatile

Adapts to any type of bottle, thanks to the three interchangeable sizes.

Versatile Pro



Display cabinet  
Chill your juice!

So that your bottles of freshly squeezed juice are always chilled and ready to take away.



Bottle rack unit  
Organised and at your fingertips

Unit complete with bottle hangers and storage space.

Dimensions Width | Depth | Height  
500 x 708,5 x 2029,5 mm  
19.7" x 27.9" x 79.9"



Countertop kit  
Multifruit

COUNTERTOP KIT

Continuous waste removal

The kit fixes the machine to the counter top, connecting it directly to the waste bucket installed under the counter.



Countertop kit  
Speed range



Countertop kit  
Essential Pro / Versatile Pro



ELEVATION KITS



Elevation kit  
Essential Pro / Versatile Pro



Elevation kit  
Soul



That extra something special with soul  
Soul corner

New elevation accessory with built-in premium basket and tray to give your juice corner that extra something special.



Premium basket  
12 kg capacity



Soul Corner  
Soul

SAFETY AND FOOD HYGIENE ACCESSORIES

Limit access to the operation of your Speed juicer and make your self-service corner a safer and more hygienic place.



Basket cover  
This accessory only includes the top basket cover.



Versatile Pro <sup>N</sup> basket cover  
This accessory only includes the top basket cover.



Feeder elbow cover  
Available in sizes M and L.



Pulp Cover Kit  
Cover to hide the pulp area.



Speed display cover <sup>N</sup>  
Cover to prevent access to the display in self-service contexts.

PODIUMS

Speed range

Versatile Pro



Wide Black

Narrow Black



Wide Mirror

Narrow Mirror



<sup>N</sup> New

See technical specifications on page 35

# Freshly squeezed juice

It is always a good time to enjoy freshly squeezed orange juice. Thanks to our **Healthy to go concept**, you can **enjoy freshly squeezed juice anywhere**.



Our juice vending machines can transform a dull corner into a fresher, more natural space. Companies, schools, shopping centres, hospitals and gyms are perfect environments to offer their customers and employees a healthier option.





# Natural Vending

## Healthy to go

Natural Vending is the perfect solution for a healthy lifestyle, 24 hours a day.

It comes with a **larger window** that showcases the juicing process and the freshness of the fruit, making it appealing to customers.

- ① NEW **HEALTHY SNACK CONCEPT**
- ② 100% **NATURAL FRESHLY SQUEEZED JUICE**
- ③ NEW **TELEMETRY KIT: GIVES YOU A REAL-TIME OVERVIEW OF YOUR MACHINE'S PERFORMANCE**
- ④ **NEW CASHLESS PAYMENT SYSTEM COMPATIBLE WITH THE MOST COMMON PAYMENT METHODS**



### Original System®

Zumex's Original System® ensures that **no juice comes into contact with the peel**, offering premium quality juice with a great taste.



Original System®



ASP  
Antibacterial technology

**Cashless payment system** compatible with contactless, NFC, magnetic stripe and chip methods: Nayax, Ingenico and OTI.  
**Traditional payment systems:** MEI, NRI.

**Telemetry kit:** this kit gives you a real-time overview of your machine's performance and provides you with in-depth control of your business.

**The cup filling system can be programmed:**  
**Number of oranges** per serving.  
**Smart cup filling system** with two juice filling modes (normal or extra).

## Three models, maximum transparency

**Excellent capacity**  
can store up to 50 kg of fruit



**Three models available**  
1 window  
2 windows  
Large window

**Customisable**  
Choose your telemetry system, your cashless payment system and customise the backlit front

**Manual cleaning with a spray gun or programmed cleaning** by choosing the start time or after a specific number of juices have been served



**New cashless payment system**



Telemetry system



Maintains a constant temperature



100 kg waste bucket with wheels

**Capacity**  
110 - 120 servings

Different cup sizes available

### Technical specs

**Number of servings** 110 - 120 servings

**Serving time** 20 - 50 seconds

**Serving volume** Can be regulated to 170 ml or 190 ml

**Storage capacity** 50 kg | 110 lb

**Juice temperature** Can be regulated 7 - 16°C

**Refrigeration system** R134 gas (does not damage the ozone layer)

**Dimensions** 950 x 790 x 1830 mm  
Width | Depth | Height 37.4" x 31.1" x 72"

**Net weight** 260 kg | 573 lb

**Voltage** 220 V | 60 Hz  
230 V | 50 Hz

**Power** 1450 W | 1.94 HP

**Energy consumption** 6.6 A

# Technical Summary



**Multifruit**



**Soul**



**Minex**



**Essential Pro**



**Versatile Pro**



**Versatile Pro Cashless**



**Speed Up**



**Speed Up All-in-One**

<b>Fruit</b>	Fruit and vegetables	Citrus	Citrus	Citrus	Citrus	Citrus	Citrus	Citrus
<b>Pieces of fruit per minute / output</b>	120 kg/h - 1.8 l/min 264 ½ lb/hr - ½ gal/min	12 pieces of fruit per minute	13 pieces of fruit per minute	22 pieces of fruit per minute	22 pieces of fruit per minute	22 pieces of fruit per minute	40 pieces of fruit per minute	40 pieces of fruit per minute
<b>Feeder capacity</b>	-	3 - 4 pieces of fruit	6 - 7 pieces of fruit	4 - 5 pieces of fruit	10 kg   22 lb	10 kg   22 lb	20 kg   44 lb	20 kg   44 lb
<b>Fruit diameter</b>	Up to 75 mm (larger fruit and vegetables will need to be chopped into smaller pieces)	50 - 80 mm (recommended 64 - 76 mm)	65 - 78 mm	65 - 81 mm	65 - 81 mm	65 - 81 mm	65 - 81 mm	65 - 81 mm
<b>Juicing system</b>	Centrifugal juicer	Conical System®	Original System® and ASP®	Original System® and ASP®	Original System® and ASP® with 1Step Kit	Original System® and ASP® with 1Step Kit	Original System® and ASP®	Original System® and ASP®
<b>Compatible juicing kits</b>	-	-	-	S Kit, M Kit	S and M 1Step Kit	S and M 1Step Kit	S, M and L Kit	S, M and L Kit
<b>Dimensions Width   Depth   Height</b>	290 x 500 x 510 mm 11.4" x 19.7" x 20.1"	260 x 430 x 435 mm 10.2" x 16.9" x 17.1"	383 x 368 x 712 mm 15.1" x 14.5" x 28"	470 x 500 x 750 mm 18.5" x 19.7" x 29.5"	<b>Versatile Pro</b> 480 x 550 x 855 mm 18.9" x 21.7" x 33.7" <b>Versatile Pro All-in-One</b> 480 x 550 x 1660 mm 18.9" x 21.7" x 65.3"	<b>Versatile Pro Cashless</b> 480 x 550 x 855 mm 18.9" x 21.7" x 33.7" <b>Versatile Pro All-in-One Cashless</b> 480 x 550 x 1660 mm 18.9" x 21.7" x 65.3"	593 x 624 x 1050 mm 23.3" x 24.6" x 41.3"	<b>1 Narrow Black</b> 710 x 682 x 1775 mm 28" x 26.8" x 69.9" <b>Wide Black</b> 810 x 682 x 1775 mm 31.9" x 26.8" x 69.9"
<b>Net weight</b>	15 kg   33 lb	17 kg   37.5 lb	19.5 kg   43 lb	45.5 kg   100 lb	<b>Versatile Pro</b> 54 kg   119 lb <b>Versatile Pro All-in-One</b> 87 kg   192 lb	<b>Versatile Pro Cashless</b> 54 kg   119 lb <b>Versatile Pro All-in-One Cashless</b> 87 kg   192 lb	76.7 kg   169.2 lb	<b>*Narrow Black</b> 129.1 kg   284.7 lb <b>Wide Black</b> 133 kg   293.3 lb
<b>Voltage</b>	220-240 V   50-60 Hz 115 V   60 Hz	220-240 V   50-60 Hz 100-115 V   50-60 Hz	Multivoltage 220-240 V   50-60 Hz 100-115 V   50-60 Hz	220-240 V   50-60 Hz 115 V   60 Hz	220-240 V   50-60 Hz 115 V   60 Hz	220-240 V   50-60 Hz 115 V   60 Hz	220-240 V   50-60 Hz 120 V   60 Hz 100 V   50-60 Hz	220-240 V   50-60 Hz 120 V   60 Hz 100 V   50-60 Hz
<b>Power</b>	870 W   1.17 HP	90 W   0.12 HP 115 W   0.15 HP	44 W   0.06 HP	300 W   0.40 HP 320 W   0.43 HP	380 W   0.51 HP 320 W   0.43 HP	380 W   0.50 HP 320 W   0.43 HP	460 W   0.62 HP 320 W   0.43 HP 350 W   0.47 HP	460 W   0.62 HP 320 W   0.43 HP 350 W   0.47 HP
<b>Energy consumption</b>	1.8 A	0.4 A / 1.3 A	0.2 A / 0.45 A	2.7 A	2.7 A	2.7 A	1.9 A / 2.7 A / 3.5 A	1.9 A / 2.7 A / 3.5 A
<b>Protection against moisture</b>	IPX1	IPX0	IPX0	IPX4	IPX4	IPX4	IPX4	IPX4
<b>Safety</b>	One micro switch on handle and one on waste bucket. Safety detection system and thermal overload relay	Micro switch on front opening and motor seizure sensor	Three safety sensors and motor seizure sensor	Two safety devices and motor seizure sensor	Two safety devices and motor seizure sensor	Two safety devices and motor seizure sensor	Three safety devices and motor seizure sensor	Three safety devices and motor seizure sensor
<b>Sound pressure level</b>	Below 70 dB	54 dB	-	-	-	-	-	-
<b>Colours</b>	5 colours	-	12 colours	4 colours	4 colours	4 colours	-	Black or Mirror podium

**1** Measurements for the Mirror model are the same as the **Speed S \*plus All-in-One**.

\*Net weight may vary depending on the podium model selected for each juicer.



# Technical Summary



**Speed S +plus**



**Speed S +plus**  
All-in-One



**Speed S +plus**  
Tank All-in-One



**Speed Pro**  
Basic



**Speed Pro**  
Cooler Podium



**Speed**  
Pomegranates



**Natural Vending**







<b>Fruit</b>	Citrus	Citrus	Citrus	Citrus	Citrus	Pomegranates	Citrus	
<b>Pieces of fruit per minute / output</b>	40 pieces of fruit per minute	40 pieces of fruit per minute	40 pieces of fruit per minute	40 pieces of fruit per minute	40 pieces of fruit per minute	40 pieces of fruit per minute	30 pomegranates per minute	
<b>Feeder capacity / Storage capacity</b>	20 kg   44 lb	20 kg   44 lb	20 kg   44 lb	20 kg   44 lb	20 kg   44 lb	20 kg   44 lb	20 kg   44 lb	
<b>Fruit diameter</b>	65 - 81 mm	65 - 81 mm	65 - 81 mm	65 - 81 mm	65 - 81 mm	65 - 81 mm	75 - 95 mm	
<b>Juicing system</b>	Original System® and ASP® with 1Step Kit	Original System® and ASP® with 1Step Kit	Original System® and ASP® with 1Step Kit	Original System® and ASP® with 1Step Kit	Original System® and ASP®	Original System® and ASP®	Original System® and ASP®	
<b>Compatible juicing kits</b>	S, M and L 1Step kits	S, M and L 1Step kits	S, M and L 1Step kits	S, M and L 1Step kits	S, M and L Kit	S, M and L Kit	S Speed Pomegranates Kit and M Speed Pomegranates Kit	
<b>Dimensions</b>								
<b>Width   Depth   Height</b>	593 x 665 x 1050 mm 23.3" x 26.2" x 41.3"	<b>2</b> <b>Narrow Mirror</b> 700 x 709 x 1774 mm 27.5" x 27.9" x 69.8" <b>Wide Mirror</b> 805 x 709 x 1774 mm 31.7" x 27.9" x 69.8"	675 x 699 x 1755 mm 26.6" x 26.3" x 69.1"	593 x 584 x 980 mm 23.3" x 23" x 38.6"	675 x 727 x 1837 mm 26.6" x 28.7" x 72.3"	710 x 682 x 1775 mm 28 x 26.8 x 69.9 <b>Wide Black</b> 810 x 682 x 1775 mm 31.9" x 26.8" x 69.9"	710 x 682 x 1775 mm 28 x 26.8 x 69.9 <b>Wide Black</b> 810 x 682 x 1775 mm 31.9" x 26.8" x 69.9"	950 x 790 x 1830 mm 37.4" x 31.1" x 72"
<b>Net weight</b>	83.5 kg   184.1 lb	<b>*Narrow Mirror</b> 111.8 kg   246.5 lb <b>Wide Mirror</b> 120.6 kg   266 lb	110.1 kg   242.8 lb	66.3 kg   146.1 lb	116.1 kg   259.6 lb	<b>Narrow Black</b> 131.1 kg   289 lb <b>Wide Black</b> 135 kg   297.6 lb	260 kg   573 lb	
<b>Voltage</b>	220-240 V   50-60 Hz 120 V   60 Hz 100 V   50-60 Hz	220-240 V   50-60 Hz 120 V   60 Hz 100 V   50-60 Hz	220-240 V   50-60 Hz 120 V   60 Hz 100 V   50-60 Hz	220-240 V   50-60 Hz 120 V   60 Hz 100 V   50-60 Hz	220-240 V   50-60 Hz 120 V   60 Hz 100 V   50-60 Hz	220-240 V   50-60 Hz 120 V   60 Hz	220-240 V   50-60 Hz 120 V   60 Hz	
<b>Power</b>	460 W   0.62 HP 320 W   0.43 HP 350 W   0.47 HP	460 W   0.62 HP 320 W   0.43 HP 350 W   0.47 HP	460 W   0.62 HP 320 W   0.43 HP 350 W   0.47 HP	460 W   0.62 HP 320 W   0.43 HP 350 W   0.47 HP	460 W   0.62 HP 320 W   0.43 HP 350 W   0.47 HP	560 W   0.75 HP	370 W   0.50 HP	
<b>Energy consumption</b>	1.9 A / 2.7 A / 3.5 A	1.9 A / 2.7 A / 3.5 A	1.9 A / 2.7 A / 3.5 A	1.9 A / 2.7 A / 3.5 A	1.9 A / 2.7 A / 3.5 A	2.4 A / 4.6 A	2.3 A / 2.9 A	
<b>Protection against moisture</b>	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4	
<b>Safety</b>	Three safety devices and motor seizure sensor	Three safety devices and motor seizure sensor	Three safety devices and motor seizure sensor	Three safety devices and motor seizure sensor	Three safety devices and motor seizure sensor	Three safety devices and motor seizure sensor	Four safety sensors and motor seizure sensor	
<b>Colours</b>	-	Black or Mirror podium	-	-	-	-	-	
<b>Number of servings</b>	-	-	-	-	-	-	-	
<b>Serving volume</b>	-	-	-	-	-	-	-	
<b>Juice temperature</b>	-	-	-	-	-	-	-	
<b>Refrigeration system</b>	-	-	-	-	-	-	-	
							110 - 120 servings Can be regulated to 170 or 190 ml Can be regulated 7°C - 16°C R134 gas (does not damage the ozone layer)	





**2** Measurements for the Black model are the same as for the **Speed Up All-in-One**.

\*Net weight may vary depending on the podium model selected for each juicer.



# Foodservice & Retail

## AUTOMATIC CITRUS JUICERS AND COMMERCIAL JUICERS

	<b>Soul</b>	<b>Reference</b> 05600	<b>Model</b> Soul	<b>Configuration</b> UE-ES	
	<b>Multifruit</b>	<b>Reference</b> 09875	<b>Model</b> Multifruit	<b>Colour</b> Silver Black White Cherry Graphite	<b>Configuration</b> UE UE UE UE UE
	<b>Minex</b>	<b>Reference</b> 04917	<b>Model</b> Minex	<b>Colour</b> White Ruby red Green Blue Metallic Silver Metallic Graphite Metallic Bronze Black Orange Light green Light blue Grey	<b>Configuration</b> UE UE UE UE UE UE UE UE UE UE UE UE
	<b>Essential Pro</b>	<b>Reference</b> 04873	<b>Model</b> Essential Pro	<b>Colour</b> Orange Silver Graphite Black <b>N</b>	<b>Configuration</b> UE UE UE UE
	<b>Versatile Pro</b>	<b>Reference</b> 09965  09966  09968	<b>Model</b> Versatile Pro  Versatile Pro All-in-One  Versatile Pro All-in-One (BH)* <b>N</b> *Bottle Holder	<b>Colour</b> Orange Silver Graphite Black <b>N</b>  Orange Silver Graphite Black <b>N</b>  Orange Silver Graphite Black <b>N</b>	<b>Configuration</b> UE UE UE UE  UE UE UE UE  UE UE UE UE
	<b>Versatile Pro Cashless</b>	<b>Reference</b> 10012  10011	<b>Model</b> Versatile Pro Cashless <b>N</b>  Versatile Pro All-in-One Cashless <b>N</b>	<b>Colour</b> Black Orange  Black Orange	<b>Configuration</b> UE UE  UE UE

	<b>Speed Pro</b>	<b>Reference</b> 04837 05078	<b>Model</b> Speed Pro Basic Speed Pro Cooler Podium	<b>Configuration</b> UE UE	
	<b>Speed Up</b>	<b>Reference</b> 08576 08818 08820 08821 08822	<b>Model</b> Speed Up Speed Up All-in-One Wide Speed Up All-in-One Wide Speed Up All-in-One Narrow Speed Up All-in-One Narrow	<b>Colour</b>  Black Mirror Black Mirror	<b>Configuration</b> UE UE UE UE UE
	<b>Speed S +plus</b>	<b>Reference</b> 08825 08826 08827 08828 08829 08842	<b>Model</b> Speed S +plus Speed S +plus All-in-One Wide Speed S +plus All-in-One Wide Speed S +plus All-in-One Narrow Speed S +plus All-in-One Narrow Speed S +plus Tank All-in-One	<b>Colour</b>  Mirror Black Mirror Black	<b>Configuration</b> UE UE UE UE UE UE
	<b>Speed Pomegranates</b>	<b>Reference</b> 10007 10013	<b>Model</b> Speed Pomegranates All-in-One Wide <b>N</b> Speed Pomegranates All-in-One Narrow <b>N</b>	<b>Colour</b> Black Black	<b>Configuration</b> UE UE

## Foodservice & Retail ACCESSORIES

	<b>Juicing systems</b>	<b>Reference</b> 10014 08220 10006 05471 05742 07930 07942 07943 06672 00536	<b>Model</b> Essential Pro S Kit Versatile Pro 1Step Kit Versatile Pro S 1Step Kit Speed Pro / Speed Up S Kit Speed Pro / Speed Up L Kit Speed S +plus 1Step Kit Speed S +plus S 1Step Kit Speed S +plus L 1Step Kit Soul juicing system Dynamic Cutting System	
	<b>Countertop kit</b>	<b>Reference</b> 04825  05414 05909 06952 05230 06995 06996 06953	<b>Model</b> Essential Pro / Versatile Pro Countertop Kit  Speed Pro Countertop Kit Speed Up / Speed S +plus Countertop Kit Multifruit Countertop Kit Essential Pro / Versatile Pro Elevation Kit Soul Elevation Kit and Drip Tray Soul Corner Premium Basket	<b>Colour</b> Orange Silver Graphite Black <b>N</b>  Black <b>N</b>



# Foodservice & Retail

## Foodservice & Retail ACCESSORIES



### Protection and hygiene accessories

Reference	Model
08830	Speed M Elbow Cover Kit
08831	Speed L Elbow Cover Kit
08832	Speed Basket Cover
10010	Versatile Pro Basket Cover <b>N</b>
08613	Speed Up / Speed S +plus Pulp Cover Kit
09960	Speed Display Cover <b>N</b>



### Juice point of sale

Reference	Model
04733	Versatile Bottle Rack (includes 3 trays)
04732	Speed Up / Speed S +plus Bottle Rack (includes 3 trays)
04727	Bottle Tray
04728	Glass Tray
08865	Two-position tray (Black podium)
04897	Small Display Cabinet
04901	Large Display Cabinet
08794	Bottle Rack Unit
09967	Versatile Bottle Holder



### Podium

Reference	Model	Colour
04904	Versatile Pro Podium	Orange Silver Graphite Black <b>N</b> Mirror Black Mirror Black
08814	Speed Up / Speed S +plus Wide Podium	Mirror
08580	Speed Up / Speed S +plus Wide Podium	Black
08815	Speed Up / Speed S +plus Narrow Podium	Mirror
08816	Speed Up / Speed S +plus Narrow Podium	Black



### Minex Colours

Reference	Model	Colour
04919	Minex Colour Kit	White Ruby Red Green Blue Silver Graphite Bronze Black Orange Light Green Light Blue Grey



### Cleaning

Reference	Model
10009	Filter Kit and Multifruit Disc <b>N</b>
09853	Citric Active/Bottle* <b>N</b> * Minimum purchase: Pack 6 bottles.



### Payment systems

Reference	Model
08467	Nayax Cashless Kit <b>N</b>

**N** New

# Zumex Pack

## CUSTOMISABLE SUSTAINABLE BOTTLES



### Zumex Pack recycled PET

Reference	Model
08955	Zumex Pack recycled PET 25 cl no label
08956	Zumex Pack recycled PET 33 cl no label
08957	Zumex Pack recycled PET 50 cl no label
08958	Zumex Pack recycled PET 1 l no label
08959	Zumex Pack recycled PET 25 cl with Zumex label
08960	Zumex Pack recycled PET 33 cl with Zumex label
08962	Zumex Pack recycled PET 50 cl with Zumex label
08963	Zumex Pack recycled PET 1 l with Zumex label

# Vending

## FRESHLY SQUEEZED JUICE VENDING MACHINES



### Vending

Reference	Model	Configuration
04823	Zumex Vending V.2 (1 Window)	1V-UE
04823	Zumex Vending V.2 (2 Windows)	2V-UE
04823	Zumex Vending VG (Large window) <b>N</b>	VG-UE

## ACCESSORIES Vending



### Vending

Reference	Model
08597	Telemetry Kit <b>N</b>
02751	Translucent cup 180 ml (Box 3000 units)
00451	Cleaning System Kit
	Coin Payment System (€)
	Note Payment System (€)
08909	Nayax Cashless Kit <b>N</b>







### Zumex Group | Headquarters

Polígono Ind. Moncada III  
C/ Molí, 2 46113 Moncada, Valencia, Spain  
Tel. +34 961 301 251  
[zumex@zumex.com](mailto:zumex@zumex.com)

### Zumex North America

1573 NW 82nd Ave, Miami, FL 33126 USA  
Tel. +1 305 591 0061  
Technical Assistance:  
1-877-ZUMEX-TA (+1 877 986 3982)  
[zumexusa@zumex.com](mailto:zumexusa@zumex.com)

### Zumex UK

3 More London Riverside  
SE1 2RE London, United Kingdom  
Tel. +44 20 3519 1292  
[zumexuk@zumex.com](mailto:zumexuk@zumex.com)

### Zumex México

Uxmal 616, Colonia Vértiz Narvarte  
Delegación Benito Juárez  
CP 03600 Ciudad de México, México  
Tel. +52 (55) 5212-0619  
[zumexmexico@zumex.com](mailto:zumexmexico@zumex.com)

### Zumex France

45 rue de Villeneuve  
94573 Rungis Cedex, Paris, France  
Tel. +33 9 75 18 73 54  
[zumexfrance@zumex.com](mailto:zumexfrance@zumex.com)

### Zumex Deutschland

Elisabethstraße 11  
40217 Düsseldorf - Deutschland  
Tel. +49 211 418 73351  
[zumexdeutschland@zumex.com](mailto:zumexdeutschland@zumex.com)

Our products comply with the quality standards applicable to each market.