


working on a fresh future



zümex®




z&mex



When we created the category more than 35 years ago, we were so certain that the concept of on-the-spot squeezed juice would be a success that we designed commercial juicers with the intention of making them last for as long as possible.

Our machines are a working proof of our commitment to excellence.

Working
on a
fresh
future.



Your business,



is our business.



We grow, we improve, we learn

20 million pieces of fruit squeezed every day

Data is an essential part of our business, as it helps us to make the necessary decisions and continue to improve. In other words, thanks to data we have been able to get to where we are now, enjoying a strong presence in five continents and five subsidiaries. In small local companies and large international groups such as Nike, Google or Facebook. With solutions ranging from the world's most compact super-automatic commercial juicer to a premium juice production plant in New York. Our juicers serve juices by land, sea and air, 24 hours a day, 365 days a year. Around 5 million

juices every day. More than 200,000 an hour. 3,472 per minute or more than 58 every second. We cannot understand our business without data. That is why we launched the Soul Series 2, the first ever commercial juicer with connectivity, along with the rest of the Smart Juicer range and Zumex Connect, to provide our partners with their own data and the information they need to improve their business performance and increase their profits — in real time and from anywhere.

20M/day

140M/week

560M/month

Best in class yield

Extracts more juice for each fruit squeezed

There are certainly many ways to evolve. But to stay ahead you can never compromise on product quality. We are sure of that. We are committed to making sure that every innovation has a positive impact on our current and future partners. That is how we broke into the hospitality industry with the Original System® more than 35 years ago.

A juicing unit that made the most of every fruit, to which we added silver ion nanotechnology to ensure food safety — the ASP®.

And yes, we are talking in the past tense. Why? Because we have reinvented it. Welcome to the new Original System® Top Performance. It perfectly adapts to every orange, exerting the optimum pressure on every piece of fruit. More yield, more profit. Up to 10% in savings on the cost of the fruit. Squeeze ten, and another one for free. These are the changes that pay off.



ASP® Antibacterial nanotechnology with silver ions.

Innovation without limits



Patented

Take control with the new 1Step Kit

When we say that we work hand in hand with our partners, it is not just a figure of speech. The new 1Step is the best example of this philosophy. Our clients needed to simplify the cleaning process and reduce cleaning times. Said, done and ready to go. After six years of constant innovation, we have now launched the third generation of accessories with a sturdier structure. It is also more ergonomic and easier to dismantle and carry thanks to its

new handles. Even with just one hand. That is why this accessory, which makes maintenance and cleaning of Zumex juicers quicker and easier. And with an iconic design that, in addition to making it unique, complies with NSF certification and its strict quality, safety and hygiene standards. Ready to take control?

Built to last

Marine grade stainless steel

Not just a tap. If you are wondering how to make such a 'simple' component last as long as possible, the answer is easy: with the tireless efforts of our engineering team. Since the first generation of the Speed tap, more than 10 years ago, we have pursued absolute simplicity. We have achieved this with the third generation of taps. We used over-injection technology to combine two materials in one piece; we added an activation sensor,

an anti-drip system with no service limit and a ring for locking the tap in continuous service mode; and we implemented a frosted finish to make disassembly simple. In addition, the housing is made of marine-grade stainless steel, able to withstand the effects of juice acid and the most aggressive cleaning processes. And all that, in just two components. But what components.



Highly resistant — meets the highest hygiene standards. **AISI 316**

Smart juicers

Discover the Zumex range of solutions with connectivity and Smart Juicing technology.

The new generation of Smart commercial juicers offer you Big Data and a remote management service for your juice business.

Access all the information on the use, status and productivity of your commercial juicers in real time from any location via the Zumex Connect service. With different types of reports: basic, advanced and maintenance.





01 Improve the Juice Corner's results.

02 Maximise your return on investment.

03 Manage your juice business remotely.



Asset	Total
D00004	2632
D00003	1974
D00002	1316
D00001	658



Juicing solutions

Find the commercial juicer that best suits the needs of your business



Multifruit

Pure power, unlimited creativity.

Specifications			
Fruit type	Fruits and vegetables	Type of consumption	High
Diameter of fruit	Up to 75 mm	Waste capacity	13 l
Rate (rpm)	(1) 3,500 (2) 4,500	Measurements Width Depth Height	290 x 500 x 510 mm
Glass and/or jar	Up to 210 mm		
Voltage	220-240 V 50-60 Hz	115 V 60 Hz	
Power output	870 W 1.17 HP	870 W 1.17 HP	

Zumex's commercial juicer's name was not chosen randomly. Multifruit is always ready to juice any fruit or vegetable in its way – from apples to pineapples, celery and carrots, thanks to its titanium shredding disc.

And always means always. 24-hour non-stop service. Its Brushless motor is 4 times superior to conventional motors. No friction. No heat release. No change in the taste of the juice. Its Speed Control System keeps a constant speed by modifying the power when necessary, with a speed selector that adapts to each type of fruit and vegetable.

And, although it may not seem possible, it consumes less energy than any other commercial juicer on the market.

And that's not all: it also features Easy Grip, an anti-drip tap that has better grip and is more hygienic; a safety system that stops the disc in case of any intervention; and a robust design, with materials and finishes that have been carefully selected down to the last detail, available in five colours. Beautiful, isn't it?

Oh, and it has the largest waste container on the market (13 l). If that's not enough, just add the Countertop Kit accessory for infinite autonomy — it never stops.



Features: Colours: Models: Acc. and more info:






Table-top





Titanium Shredding disc

Maximum strength for all fruits and vegetables and long-lasting sharpness.



Optimal flow anti-drip tap

Better grip and more hygienic.



Soul Series 2

Design and intelligence in the smallest space.

Specifications

Fruit type	Oranges, tangerines, limes, lemons*	Type of consumption	Medium
Diameter of fruit	M Kit (Std) 64-81 mm S Kit (Opt) 45-65 mm XS Kit (Limes Ed) 42-52 mm	Feeder capacity	3/6 oranges, 7/8 limes
Fruits per minute	[M/S]: 18 fruits / min [XS]: 36 fruits / min	Waste capacity	4 l
Speed	1 juice in 10"	Measurements Width Depth Height	300 x 480 x 537 mm
Glass and/or jar	Up to 115 mm		
Voltage	Multi Voltage 100-240 V 50-60 Hz		
Power output	100 W 0.134 HP		

*It is recommended to use lemons from varieties with rounded shape and thin skin, for example: Eureka, Lisbon, Meyer.

Zumex's entire experience and R&D have been merged in a single commercial juicer with smaller footprint, heart, brain and soul. Soul Series 2 makes absolutely no compromises.

Smart Juicing technology helps you monitor in real time the performance and productivity of all your juicers, configure them, manage them remotely and know when they need maintenance.

Conical System® is not only a juicing system reduced to a minimum. It has also been designed to be twice as fast. Through our ASP® nanotechnology with silver ions, in addition to sounding super scientific, maximum food safety is achieved.

Juice any citrus fruit from 42 to 81 mm and create different preparations: juices, cocktails, mocktails, pastries, dressings, sauces...


Add to all that the 1Step Case Out, which makes cleaning very easy, and the PulpOut System, which automatically extracts the pulp and seeds. Press the button and get your juice within 10 seconds. It's not magic. We call it Push&Juice.




Features:



Colours:



Models:



Acc. and more info:





Kits that adapt to the size of the fruit.
Squeezes any citrus fruit from 42 to 81 mm.



1Step Case Out.
Easy removal and cleaning.
Dishwasher safe.



Minex

Fits to every location.

Specifications			
Fruit type	Oranges	Type of consumption	Moderate
Diameter of fruit	65–78 mm	Feeder capacity	6 / 7 fruits
Fruits per minute	13 fruits / min	Waste capacity	4.5 l
Speed	1 juice in 15"	Measurements Width Depth Height	383 x 368 x 712 mm
Built-in glass and/or jar	Up to 120 mm		
Voltage	Multi Voltage 220–240 V 50–60 Hz	100–115 V 50–60 Hz	
Power output	44 W 0.06 HP	44 W 0.06 HP	


The Minex commercial juicer has been designed to be present in a wide variety of establishments, such as cafes or bakeries. The only thing you have to think about is which of its 12 colours best fits your business.

Its compact juicing system is an adaptation of our Original System® — for smaller spaces, but as reliable as ever, and featuring ASP® antibacterial nanotechnology for maximum hygiene and protection. Choose how to use it: with the built-in jar to serve it yourself or with

the self-service, non-drip tap for your customers to get their juice themselves. Either way, juice will be ready in 15 seconds and waste will go directly into its built-in container. Convenient, fast and clean.



Features:



Colours:



Models:



Table-top

Acc. and more info:





750 ml jar capacity.



Push-button system — a juice in 15"



Essential Pro

Maximum simplicity.

Specifications			
Fruit type	Oranges, lemons, limes, tangerines	Type of consumption	Medium
Diameter of fruit	65-81 mm (45-67 mm with S Kit)	Feeder capacity	4/5 fruits
Fruits per minute	22 fruits / min	Waste capacity	10 l (2 x 5 l)
Speed	1 juice in 10"	Measurements Width Depth Height	470 x 500 x 750 mm
Glass and/or jar	Up to 165 mm		
Voltage	220-240 V 50-60 Hz	115 V 60 Hz	
Power output	300 W 0.40 HP	320 W 0.43 HP	

Essential Pro maintains the essence of the range: simplicity, performance and hygiene, taken to the extreme. Yes, you can also juice by simply pressing a button – directly into a glass, a bottle or a jar –, but you can also put it in Autostart mode and you won't even have to press it. It will start juicing as you feed the citrus fruits into the feeder.


The anti-drip tap has two operating modes: one for self-service use and one with an optional locking mechanism for continuous use.

So you can use the option that best suits you at any given moment, and it also helps to keep everything cleaner.


Hygiene is also guaranteed thanks to the new Top Performance juicing unit. Besides obtaining more yield from each fruit, it uses silver ion nanotechnology, ASP®, to inhibit bacterial growth.



Features:



Colours:



Models:




Table-top

Acc. and more info:





Essential Basic

Just push a button.

Specifications

Fruit type	Oranges, lemons, limes, tangerines	Type of consumption	Medium
Diameter of fruit	65-81 mm (45-67 mm with S Kit)	Feeder capacity	6 / 7 fruits
Fruits per minute	22 fruits / min	Waste capacity	10 l (2 x 5 l)
Speed	1 juice in 10"	Measurements Width Depth Height	470 x 500 x 880 mm
Glass and/or jar	Up to 165 mm		
Voltage	220-240 V 50-60 Hz	115 V 60 Hz	
Power output	300 W 0.40 HP	320 W 0.43 HP	


Essential is that one thing you can't do without. That's why we made the Essential combine 3 things we believe are necessary in every one of our juicers: ease of use, performance and hygiene.

Just a single button. Press to juice. Press to stop. That's it — freshly-squeezed juice. When we say easy, we mean very easy, but

without sacrificing functionality. You choose whether to use the anti-drip tap to pour the juice directly into the glass or jar.

We have added our most advanced juicing unit, the Top Performance, and with ASP® nanotechnology that inhibits bacterial growth.

Performance:



Colour:



Models:




Table-top

Acc. and more info:



Versatile Pro

The most compact super automatic juicer.

Specifications			
Fruit type	Oranges, lemons, limes, tangerines	Type of consumption	High
Diameter of fruit	65-81 mm (45-67 mm with S Kit)	Feeder capacity	16 kg 35 lbs
Fruits per minute	22 fruits / min	Waste capacity	10 l (2 x 5 l) All-in-One 52 l
Speed	1 juice in 10"	Bottle holders	38 mm / 36 mm / 34.4 mm
Glass and/or bottle	Up to 120 mm All-in-One 255 mm	Measurements Width Depth Height	480 x 550 x 890 mm All-in-One 480 x 550 x 1695 mm
Voltage	220-240 V 50-60 Hz	115 V 60 Hz	
Power output	380 W 0.51 HP	320 W 0.43 HP	

Versatile Pro, complete and very easy to use. Its feeder capacity (16 kg), with a front door that facilitates the loading of fruit, provides maximum autonomy in a very small space. It includes the new PulpOut system to juice more fruit without interruptions. Up to 150 kg.

Thanks to the 1Step M Kit, it is possible to remove the juicing unit, featuring ASP® antibacterial technology, in a single step. Also dishwasher safe. Hygiene and convenience hand in hand. And with the S Kit you could also offer lime and lemon juices to your customers.


Switch between its two operating modes – self-service and professional – and set the number of fruits per juice from its digital display.

Two models to choose from depending on your needs. The table-top model for cafes and catering chains. The All-in-One model, with podium included and capacity for 52 litres of waste, for self-service spaces in hotels, filling stations, supermarkets or greengrocers.


Features:



Colours:



Models:



Acc. and more info:





Versatile Basic

Naturally automatic.

Specifications

Fruit type	Oranges, lemons, limes, tangerines	Type of consumption	High
Diameter of fruit	65-81 mm (45-67 mm with S Kit)	Feeder capacity	10 kg 22 lb
Fruits per minute	22 fruits / min	Waste capacity	10 l (2 x 5 l)
Speed	1 juice in 10"	Measurements Width Depth Height	480 x 550 x 855 mm
Glass and/or jar	Up to 165 mm		
Voltage	220-240 V 50-60 Hz	115 V 60 Hz	
Power output	380 W 0.51 HP	320 W 0.43 HP	


Versalite Basic follows Zumex's philosophy on ease of use. A single button controls both the start and end of juicing. But it's even a little more convenient.

Thanks to its built-in feeding system, with capacity for 10 kg of fruit, it can produce about 20 juices before needing more fruit. Make better use of the time between one load of fruit and the next while serving the best freshly-squeezed juice without distractions.

No distractions and no bacteria. The new Top Performance juicing unit, featuring ASP® antibacterial nanotechnology, has been improved to squeeze more juice out of each piece of fruit. Hygiene and total performance.

The anti-drip tap makes it possible to pour the juice directly into the glass or jar. And no matter what, its built-in waste container collects fruit residues so your business is always spotless.

Performance:



Colour:



Models:




Table-top

Acc. and more info:



Versatile Pro Cashless

Self-service with payment system.

Specifications			
Fruit type	Oranges, lemons, limes, tangerines	Type of consumption	High
Diameter of fruit	65-81 mm (45-67 mm with S Kit)	Feeder capacity	16 kg 35 lbs
Fruits per minute	22 fruits / min	Waste capacity	10 l (2 x 5 l) All-in-One 52 l
Speed	1 juice in 10"	Bottle holders	38 mm / 36 mm / 34.4 mm
Glass and/or bottle	Up to 120 mm All-in-One 255 mm	Measurements Width Depth Height	480 x 550 x 890 mm All-in-One 480 x 550 x 1695 mm
Voltage	220-240 V 50-60 Hz		115 V 60 Hz
Power output	380 W 0.51 HP		320 W 0.43 HP

So automatic that customers can do it all by themselves: pay, pour the juice and enjoy it.

Payment by card, whatever type it is, so that no one is left without their juice. Nayax payment system with 4 types of payment options: magnetic stripe, chip, MIFARE or contactless. And for those who prefer to leave their cards at home and pay only with their phones, Apple Pay, Samsung Pay, Google Pay... are also available.

If you are worried about someone not knowing how to use it, don't worry. Versatile Pro will explain the 3 steps to follow, and assist the user in the process — so that no one gets lost in the process.

It will also let you know when the juicer needs to be cleaned and the waste emptied. It is that smart, it detects if the cover or juice container is opened, it counts the oranges so you can program how many it juices in each service, it has a password for the operator... and allows modules to extract even more usage data.

Perfect for offering freshly-squeezed juice in self-service areas, offices or coworking spaces.

Features: Colours: Models: Acc. and more info:






Table-top

All-in-One





1 juice, 4 payment methods
Contactless, Chip, Magnetic stripe, MIFARE.



Pay, press & enjuice!
The best user experience to enjoy the best juice.



Speed Up

The fastest and sturdiest commercial juicer is also stylish.

Specifications			
Fruit type	Oranges, grapefruits, lemons, limes, tangerines	Type of consumption	Very high
Diameter of fruit	65-81 mm (S Kit: 45-67 mm L Kit: 75-95 mm)	Feeder capacity	20 kg 44 lb
Fruits per minute	40 fruits / min	Waste capacity	15 l (2 x 7.5 l)
Speed	1 juice in 5"	Bottle holders	38 mm / 36 mm (Opt.) / 34.4 mm (US)
Glass and/or bottle	Up to 180 mm All-in-One 250 mm	Measurements Width Depth Height	593 x 624 x 1050 mm <small>Check all All-in-One measurements in the Tech. specifications.</small>
Voltage	220-240 V 50-60 Hz	120 V 60 Hz	100 V 50-60 Hz
Power output	460 W 0.62 HP	320 W 0.43 HP	350 W 0.47 HP

We've fine-tuned Speed Up to make it even better, now featuring our new Top Performance juicing unit. It delivers the best performance on the market while looking as stunning as ever at your point of sale.

The new Up tap is just as easy to use as it is to clean. Its blocking function makes filling large bottles more convenient. The locking feature on the table-top machine makes it more comfortable to fill jars.

The new automatic PulpOut system, lighter and easier to transport, eliminates unpleasantly long fibres, avoiding blockages and improving autonomy.

Two operating modes: Self-service, where you just press the tap and fill the bottle, and Professional, where you choose exactly the fruit to be squeezed.


Its All terrain wheeled podium is available in Wide or Slim, with Black or Mirror finish.

New cleaner and more protected look thanks to the Dark cover, the new Inox peel outlets and the digital display cover.


The fastest, but also very easy to use.




Features:



Colours:



Models:



Acc. and more info:





Up Tap

Easy clean tap with holder for three bottle sizes.
34.4 mm | 36 mm | 38 mm



Strong and lightweight podium.

Slim model (55 l capacity) or Wide model (100 l capacity)
in two finishes: Black or Mirror.



Speed S⁺plus

The highest performance commercial juicer for the most demanding businesses.

Specifications			
Fruit type	Oranges, grapefruits, lemons, limes, tangerines	Type of consumption	Very high
Diameter of fruit	65-81 mm (S Kit: 45-67 mm L Kit: 75-95 mm)	Feeder capacity	20 kg 44 lb
Fruits per minute	40 fruits / min	Waste capacity	15 l (2 x 7.5 l)
Speed	1 juice in 5"	Bottle holders	38 mm / 36 mm (Opt.) / 34.4 mm (US)
Glass and/or bottle	Up to 175 mm All-in-One 255 mm	Measurements Width Depth Height	593 x 665 x 1050 mm <small>Check all All-in-One measurements in the Tech. specifications.</small>
Voltage	220-240 V 50-60 Hz	120 V 60 Hz	100 V 50-60 Hz
Power output	460 W 0.62 HP	320 W 0.43 HP	350 W 0.47 HP

Zumex's flagship is the best choice for supermarkets, hotels, restaurants and businesses with high demand for freshly-squeezed juice. The undisputed leader in performance.

Featuring the new NSF-certified 1Step Kit to make cleaning the machine almost as easy as pouring juice. A more ergonomic one-piece design for extracting the unit. It has the best self-service tap on the market, sturdier, with fewer parts and easier to disassemble and clean. With locking function for continuous operation and an improved anti-drip system.


Automatic PulpOut system, with triple filtration and conveyor belt that transports the soluble fibre and eliminates unpleasantly long fibres. It is also much lighter and easier to handle during removal for cleaning.

New cleaner and more protected look thanks to the Dark cover, the new Inox peel outlets and the digital display cover.


If you are sure about this option, all you have to do is choose between the Countertop, All-in-One and Tank versions, with a storage tank for juice. Don't look for something better, because it doesn't exist.



Features:



Colours:



Models:





Table-top All-in-One Wide All-in-One Slim Tank All-in-One

Acc. and more info:





New 1Step Kit

Easy assembly and disassembly of the juicing unit.
Sturdier, more ergonomic and better grip.



High-end tap

Best operation on the market. Fewer parts, easy disassembly.



Speed Pomegranates

Easy, fast and non-stop pomegranate juice.

Specifications			
Fruit type	Pomegranates	Type of consumption	Very high
Diameter of fruit	75–95 mm (S Kit 65–85 mm)	Feeder capacity	20 kg 44 lb
Fruits per minute	30 pomegranates / min	Waste capacity	Up to 100 l
Speed	1 juice in 8"	Bottle holders	38 mm / 36 mm (Opt.) / 34.4 mm (US)
Glass and/or bottle	-	Measurements Width Depth Height	805 x 680 x 1774 mm [Slim]: 674 x 679 x 1774 mm
Voltage	230 V / 50 Hz	230 V / 60 Hz	115 V / 60 Hz
Power output	325 W 0.44 HP	420 W 0.56 HP	280 W 0.38 HP


Introducing the first high-performance commercial juicer designed to juice any type of pomegranate, making it extremely easy to do something not that easy. Pomegranate juice in a matter of seconds.

One of the first challenges we encountered was the blade itself, as it had to be able to cut the toughest husks, hence the choice of titanium; we designed the juicing system to perform at its best with the new fruit; we re-designed the PulpOut system to be equally effective with seeds and to eject them faster; and we made non-stop production of up to 100 kg of pomegranates possible without any intervention at all.

At 30 pieces of fruit per minute, the name Speed is almost an understatement... but its Up tap easily and flawlessly tackles that amount of fruit. Easy to use and very practical thanks to its ergonomic design and bottle holder. Not to mention the high-quality materials and all the details a Speed always features.




Features:



Colour:



Models:



All-in-One Wide

All-in-One Slim

Acc. and more info:





Automatic PulpOut system

Designed specifically for pomegranates. Triple filtration with conveyor belt to remove seeds and husk, improving performance and juice quality.



Titanium blade

Its strength guarantees excellent cutting and durability.



PineOmatic

Peel and cut natural pineapples without a fuss.

Specifications			
Fruit type	Pineapple	Type of consumption	High
Speed	30"/pineapple	Pineapple display capacity	8 units
Size	7 or 8 (Choose machine settings according to the desired size)	Waste capacity	40 pineapples
Container size	Size 7: 110 mm - Ø 115 mm Size 8: 110 mm - Ø 95 mm	Display	Video Display 15" (Opt)
Voltage	220-240V 50/60Hz	Measurements Width Depth Height	540 x 950 x 1,500 mm
Power output	200 W		

It's as easy as choosing the pineapple of your choice, placing it in the PineOmatic and picking up the container. In the meantime, you can watch the whole process, almost hypnotically, through the window. Fruit prepared, cleaned and ready to eat in a matter of seconds. Let the machine do the hard work and let your customers focus on enjoying a 100% natural, freshly cut pineapple. Making the most of the edible part of each pineapple and reducing waste.

A screen explains the process along the way, multiplying the sale of pineapples by up to 5 times. Moreover, there is a separate screen inside for the operator, providing access to the user manual as well as clear assembly and disassembly instructions.


What about maintenance? You only need 15 minutes a day for cleaning, and all spare parts are dishwasher safe, to simplify it even further.



Features:



Models:



Size 7



Size 8

Acc. and more info:



*Check availability in your market



Video tutorials and pineapple dispenser

Display with video to engage customers and demonstrate how easy it is to use the machine.



Contactless

Very easy 3-step self-service operation.
Integrated container dispenser.



Mastery

The heart of your Cold Press juice business.

Specifications			
Fruit type	Fruits and vegetables	Control panel	Touchscreen. 4.3" colour
Production capacity	Up to 30 gal/h 110 l/h	Crusher	Brushless motor, built-in pusher
Maximum pressure	11 tons total force 185 bar (2610 psi)	Operating modes	Manual or semiautomatic
Juice tank	With built-in filter 3 gal 11 l capacity	Filtering	Fine, medium, coarse filter bags
Crusher power	1.5 kW (2 hp)	Measurements Width Depth Height	940 x 735 x 1700 mm
Press power	0.75 kW (1 hp)	Voltage	Single-phase 220-240 V 50 - 60 Hz

The Zumex cold-pressing solution for making all kinds of fruit and vegetable juices. Mastery makes the difference thanks to its crushing efficiency and power, featuring grating discs and a Brushless motor.


Unrivalled power and efficiency to crush any fruit or vegetable without sacrificing the properties of fresh fruit. The 11 tonnes of power in the stainless steel press is combined with plates designed for the highest performance, up to 110 litres per hour. Sounds good, tastes better. With Mastery, you can fully customise your range of juices and provide a totally exclusive and natural product. It has been designed to make your job easier, with a full-colour

touch screen to control all parameters. Use the four preset programmes or create your own programmes for creative freedom.


Hygiene and safety are not overlooked either, with sensors to stop the machine if necessary and an emergency push-button to stop the machine immediately.



Features:



Models:



Acc. and more info:





Ergonomic, 100% secure feeder with built-in pusher and On/Off system

Reduces the working space to 25 cm, making it easier to load with one hand. Greater agility, safety and hygiene.



Choose the way you work

Different programmes for soft fruit, hard fruit, green leafy vegetables, mix, or configure your own mode of use by customising the times, pressing speed and number of cycles.



Vending

Freshly squeezed juice 24/7.

Specifications

Fruit type	Oranges	Juice temperature	Adjustable 7° to 16°
Diameter of fruit	65-81 mm	Feeder capacity	50 kg 110 lb
Number of services	110-120	Waste capacity	Up to 100 l
Speed	1 juice in 20" - 50"	Payment systems	Cashless, coins and/or bills
Service volume	170 ml or 190 ml	Measurements Width Depth Height	950 x 790 x 1830 mm
Voltage	220 V 60 Hz		230 V 50 Hz
Power output	1450 W 1.94 HP		1450 W 1.94 HP

The best solution to give your customers access to freshly squeezed orange juice at any time of the day or night. Perfect for spaces where people are constantly coming and going, such as shopping centres, companies, universities, schools, hospitals or gyms.

Now with the new Original System® Top Performance juicing system, which squeezes even more juice from every piece of fruit and, as always, preserves its flavour in perfect condition. Maximum hygiene guaranteed thanks to ASP® antibacterial nanotechnology.

And since what is natural should be displayed, you can choose


between three window models. What else do you need? Add accessories to personalise it.

The telemetry kit facilitates monitoring all consumption data, warnings, maintenance details... from your mobile and whenever you want. The Nayax Cashless Kit payment system, for any type of card or contactless payment solution. The cleaning kit, for a quick part replacement.


You can also customise the backlit cover to match your brand's style. And if that wasn't enough, it also has an automatic pulp sweeping and programmable water diffuser cleaning system, which makes everything so much easier.



Features:



Models:



1 window

2 windows

Large window

Acc. and more info:




*Check availability in your market



Great autonomy
Up to 120 services.



Cardboard cups as standard
We respect the environment.



All the information at your fingertips
Monitor your machine's sales and profitability in real time
with the telemetry kit.



Accessories

Zumex has a wide range of juicing kits.

Original System®



S kit 45-67 mm

For smaller fruits: limes, lemons, tangerines or small oranges.
Available for Essential Pro and Basic / Versatile Basic / Speed Up models



M kit 65-81 mm

For medium fruits: lemons and oranges.
Standard and available for Essential Pro and Basic / Versatile Basic / Speed Up models



L kit 75-95 mm

For bigger fruits: large oranges and grapefruit.
Available for Speed Up models

1Step Kits

For faster and cleaner removal of the juicing unit.
Use this accessory to disassemble the juicing unit in one piece and prepare your machine for the next kit.



1Step S kit 45-67 mm

For smaller fruits: limes, lemons, tangerines or small oranges.
Available for Versatile Pro / Speed S ^{*plus models}



1Step M kit (65-81 mm)

For medium fruits: lemons and oranges.
Standard and available for Versatile Pro / Speed S ^{*plus models}



1Step L kit 75-95 mm

For bigger fruits: large oranges and grapefruit.
Available for Speed S ^{*plus}

Conical System®



XS kit 42-52 mm

For squeezing limes.
Standard on Soul Series 2 Limited Edition and available for Soul Series 2



S kit 45-65 mm

For squeezing lemons*, limes and small oranges.
Available for Soul Series 2



M kit 64-81 mm

For squeezing lemons* and oranges.
Standard on Soul Series 2.

*It is recommended to use lemons from varieties with rounded shape and thin skin, for example: Eureka, Lisbon, Meyer.

Pomegranates Kit



S kit Pomegranates 65-85 mm

For small pomegranates, below 85 mm.
Available for Speed Pomegranates range.



M kit Pomegranates 75-95 mm

For medium and large pomegranates.
Standard on Speed Pomegranates range

Countertop

Accessory for continuous waste removal. It facilitates attaching the machine to the counter and connecting it directly to the waste container installed inside your set.



Countertop kit Multifruit



Countertop kit Soul Series 2



Countertop kit Essential / Versatile



Countertop kit Speed Range



Essential fruit basket

Upper fruit basket with a 5 kg storage capacity.



Versatile lifting base

Lifting base to easily fill bottles up to 50 cl. Drip tray not included.



rPET Pack

Bottles made of 100% recycled plastic, preserving the properties and aroma of juice.



Citric Active™

Professional detergent for professional sanitising and cleaning of your commercial juicer or blender.

Juice Corner Sets



Bottle rack set Mirror

Set comprising bottle holders, storage space and paper dispenser.



Bottle rack set Black

Set comprising bottle holders, storage space, paper dispenser and waste-basket.



Display convenience

Lightweight bottle rack set. Bottle rack with interchangeable panel.



Bottle rack ensemble

Organise your bottles or glasses display neatly.

Measurements
500 x 708.5 x 2029.5 mm
19.7" x 27.9" x 79.9"

Measurements
500 x 680 x 2135 mm
19.7" x 26.7" x 84"

Measurements
300 x 500 x 1885 mm
11.9" x 19.7" x 74.2"

Measurements
300 x 500 x 1885 mm
11.9" x 19.7" x 74.2"

Podiums



Podium Slim*

Black ultra-compact accessory set for high waste capacity in the smallest of spaces.

Autonomy: up to 300 squeezed oranges
155 l container
With 2-position drip tray, for glass and bottle.

Measurements
595 x 655 x 787 mm
23.4" x 25.7" x 30.9"



Podium Wide Black*

Black accessory set for maximum autonomy for your Speed.

Autonomy: up to 500 squeezed oranges
2 containers: 100 l
With 2-position drip tray, for glass and bottle.

Measurements
805 x 626 x 787 mm
31.6" x 24.6" x 30.9"



Podium Wide Mirror*

Stainless steel accessory set for maximum autonomy for your Speed.

Autonomy: up to 500 squeezed oranges
2 containers: 100 l
With drip tray 2 positions, for glass and bottle.

Measurements
805 x 655 x 787 mm
31.6" x 25.7" x 30.9"



Juice Kart

Exclusive design set for Soul S2. Thanks to its wheels your commercial juicer can go wherever your business needs it.


Autonomy: Up to 250 squeezed oranges
1 container: 50 l
It has an extra area for the storage of fruit, glasses, napkins, and other accessories.

Measurements
856 x 580.5 x 939 mm
33.7" x 22.8" x 36.9"

*Available for Speed Up, Speed S¹⁰⁰⁰ and Speed Pomegranates (Pomegranates only available in Black).



Multifruit



Soul Series 2



Minex

Specifications

Fruit type	Fruits and vegetables	Oranges, tangerines, limes, lemons*	Oranges
Diameter of fruit	Up to 75 mm	M Kit (Std) 64-81 mm S Kit (Op) 45-65 mm XS Kit (Limes Ed) 42-52 mm	65-78 mm
Fruits per minute	-	M/S KIT: 18 fruits / min XS KIT: 36 fruits / min	13 fruits / min
Rate (juice / 250 ml)	3.500 4.500 rpm	1 juice in 10"	1 juice in 15"
Type of consumption	High	Medium	Moderate
Feeder capacity	-	3/6 oranges, 7/8 limes	6 / 7 fruits
Waste capacity	13 l	4 l	4.5 l
Bottle holder	-	-	-
Voltage	220-240 V 50-60 Hz 115 V 60 Hz	Multi voltage 100-240 V 50-60 Hz	Multi voltage 220-240 V 50-60 Hz 100-115 V 50-60 Hz
Power output	870 W 1.17 HP	100 W 0.134 HP	44 W 0.06 HP


*It is recommended to use lemons from varieties with rounded shape and thin skin, for example: Eureka, Lisbon, Meyer.

Technical Information

Consumption	1.8 A	0.4-3.4 A (100-130 VAC) 0.3-1.5 A (220-240 VAC)	0.2 A / 0.45 A
Protection against moisture	IPX1	IPX0	IPX0
Safety	Double microswitch on handle and juice container. Safety detection and thermal protection system	Microswitch on door and motor locking detection mechanism	Triple safety detector and motor locking detection mechanism
Sound pressure level	Below 70 dB	Below 60 dB	Below 65 dB
Connectivity	-	Smart Juicer	-
Filling height	210 mm	115 mm	120 mm

Measurements


Measurements	290 x 500 x 510 mm 11.4" x 19.7" x 20.1"	300 x 480 x 537 mm 11.8" x 18.9" x 21.1"	383 x 368 x 712 mm 15.1" x 14.5" x 28"
Net weight	15 kg 33 lb	32 kg 71 lb	19.5 kg 43 lb
Footprint	0.14 m ²	0.14 m ²	0.14 m ²




Essential Basic



Essential Pro



Versatile Basic




Versatile Pro


Oranges, tangerines, limes, lemons	Oranges, tangerines, limes, lemons	Oranges, tangerines, limes, lemons	Oranges, tangerines, limes, lemons
M Kit: 65-81 mm S Kit (Op): 45-67 mm	M Kit: 65-81 mm S Kit (Op): 45-67 mm	M Kit: 65-81 mm S Kit (Op): 45-67 mm	M Kit: 65-81 mm S Kit (Op): 45-67 mm
22 fruits / min	22 fruits / min	22 fruits / min	22 fruits / min
1 juice in 10"	1 juice in 10"	1 juice in 10"	1 juice in 10"
Medium	Medium	High	High
6/7 fruits	4/5 fruits	10 kg 22 lb	16 kg 35 lbs
10 l (2 x 5 l)	10 l (2 x 5 l)	10 l (2 x 5 l)	10 l (2 x 5 l) All-in-One 52 l
-	-	-	Holder 38 mm / 36 mm / 34.4 mm
220-240 V 50-60 Hz 115 V 60 Hz	220-240 V 50-60 Hz 115 V 60 Hz	220-240 V 50-60 Hz 115 V 60 Hz	220-240 V 50-60 Hz 115 V 60 Hz
300 W 0.40 HP 320 W 0.43 HP	300 W 0.40 HP 320 W 0.43 HP	380 W 0.51 HP 320 W 0.43 HP	380 W 0.51 HP 320 W 0.43 HP

2.7 A	2.7 A	2.7 A	2.7 A
IPX4	IPX4	IPX4	IPX4
Double safety detector and motor locking detection mechanism	Double safety detector and motor locking detection mechanism	Double safety detector and motor locking detection mechanism	Double safety detector and motor locking detection mechanism
Below 65 dB	Below 65 dB	Below 65 dB	Below 65 dB
-	Smart version available	-	Smart version available
165 mm	165 mm	165 mm	Table-top 120 mm All-in-One 255 mm


470 x 500 x 880 mm 18.5" x 19.7" x 34.6"	470 x 500 x 750 mm 18.5" x 19.7" x 29.5"	480 x 550 x 855 mm 18.9" x 21.7" x 33.7"	480 x 550 x 890 mm 18.9" x 21.7" x 35" All-in-One 480 x 550 x 1695 mm 18.9" x 21.7" x 66.7"
43.5 kg 96 lb	45.5 kg 100 lb	51 kg 112.4 lb	56.5 kg 124.5 lb All-in-One 89.5 kg 197 lb
0.23 m ²	0.23 m ²	0.26 m ²	0.26 m ²



**Versatile
Cashless**



Speed Up



**Speed Up
All-in-One**

Specifications


Fruit type	Oranges, tangerines, limes, lemons	Oranges, grapefruits, lemons, limes, tangerines	Oranges, grapefruits, lemons, limes, tangerines
Diameter of fruit	M Kit: 65-81 mm S Kit (Op) (Op): 45-67 mm	M Kit: 65-81 mm S Kit (Op): 45-67 mm L Kit (Op): 75-95 mm	M Kit: 65-81 mm S Kit (Op): 45-67 mm L Kit (Op): 75-95 mm
Fruits per minute	22 fruits / min	40 fruits / min	40 fruits / min
Rate (juice / 250 ml)	1 juice in 10"	1 juice in 5"	1 juice in 5"
Type of consumption	High	Very high	Very high
Feeder capacity	16 kg 35 lbs	20 kg 44 lb	20 kg 44 lb
Waste capacity	10 l (2 x 5 l) All-in-One 52 l	15 l (2 x 7.5 l)	Up to 100 l
Bottle holder	Holder 38 mm / 36 mm / 34.4 mm	Holder 38 mm / 36 mm (Opt.) 34.4 mm (US)	Holder 38 mm / 36 mm (Opt.) 34.4 mm (US)
Voltage	220-240 V 50-60 Hz 115 V 60 Hz	220-240 V 50-60 Hz 120 V 60 Hz 100 V 50-60 Hz	220-240 V 50-60 Hz 120 V 60 Hz 100 V 50-60 Hz
Power output	380 W 0.51 HP 320 W 0.43 HP	460 W 0.62 HP 320 W 0.43 HP 350 W 0.47 HP	460 W 0.62 HP 320 W 0.43 HP 350 W 0.47 HP

Technical Information


Consumption	1.7 A / 2.7 A	1.9 A / 2.7 A / 3.5 A	1.9 A / 2.7 A / 3.5 A
Protection against moisture	IPX4	IPX4	IPX4
Safety	Double safety detector and motor locking detection mechanism	Triple safety detector and motor locking detection mechanism	Triple safety detector and motor locking detection mechanism
Sound pressure level	Below 65 dB	Below 65 dB	Below 65 dB
Connectivity	-	Smart version available	Smart version available
Filling height	Table-top 120 mm All-in-One 255 mm	180 mm	250 mm

Measurements


Measurements	480 x 550 x 890 mm 18.9" x 21.7" x 35" All-in-One Cashless 480 x 550 x 1695 mm 18.9" x 21.7" x 66.7"	593 x 624 x 1050 mm 23.3" x 24.6" x 41.3"	Slim 620 x 679 x 1774 mm 24.4" x 26.7" x 69.8" Wide Mirror 805 x 708 x 1774 mm 31.7" x 27.8" x 69.8" Wide Black 805 x 680 x 1774 mm 31.7" x 26.8" x 69.8"
Net weight	56.5 kg 124.5 lb All-in-One 89.5 kg 197 lb	76.7 kg 169.2 lb	Slim 116 kg 255.8 lb Wide Mirror 122.3 / 269.7 Wide Black 133.2 kg / 293.7 lb
Footprint	0.26 m ²	0.37m ²	Slim 0,42 m ² Wide Mirror 0,57 m ² Wide Black 0,55 m ²




Speed S⁺plus



**Speed S⁺plus
All-in-One**



**Speed
Pomegranates**



Vending

Oranges, grapefruits, lemons, limes, tangerines	Oranges, grapefruits, lemons, limes, tangerines	Pomegranates	Oranges
M Kit: 65-81 mm S Kit (Op): 45-67 mm L Kit (Op): 75-95 mm	M Kit: 65-81 mm S Kit (Op): 45-67 mm L Kit (Op): 75-95 mm	M Kit: 75-95 mm S Kit (Op): 65-85 mm	M Kit: 65-81 mm
40 fruits / min	40 fruits / min	30 pomegranates / min	20 - 50 sec. per service
1 juice in 5"	1 juice in 5"	1 juice in 8"	1 juice in 20" - 50"
Very high	Very high	Very high	Very high
20 kg 44 lb	20 kg 44 lb	20 kg 44 lb	50 kg 110 lb
15 l (2 x 7.5 l)	Up to 100 l	Up to 100 l	Up to 100 l
Holder 38 mm / 36 mm (Opt.) 34.4 mm (US)	Holder 38 mm / 36 mm (Opt.) 34.4 mm (US)	Holder 38 mm / 36 mm (Opt.) 34.4 mm (US)	-
220-240 V 50-60 Hz 120 V 60 Hz 100 V 50-60 Hz	220-240 V 50-60 Hz 120 V 60 Hz 100 V 50-60 Hz	230 V / 50 Hz 230 V / 60 Hz 115 V / 60 Hz	220 V 60 Hz 230 V 50 Hz
460 W 0.62 HP 320 W 0.43 HP 350 W 0.47 HP	460 W 0.62 HP 320 W 0.43 HP 350 W 0.47 HP	325 W 0.44 HP 420 W 0.56 HP 280 W 0.38 HP	1450 W 1.94 HP

1.9 A / 2.7 A / 3.5 A	1.9 A / 2.7 A / 3.5 A	1.5 A / 2 A / 2.7 A	6.6 A
IPX4	IPX4	IPX4	-
Triple safety detector and motor locking detection mechanism	Triple safety detector and motor locking detection mechanism	4 safety detectors and motor locking detection mechanism	-
Below 65 dB	Below 65 dB	Below 65 dB	Below 60 dB
Smart version available	Smart version available	-	-
175 mm	255 mm	250 mm	-

593 x 665 x 1050 mm 23.3" x 26.2" x 41.3"	Slim 620 x 679 x 1774 mm 24.4" x 26.7" x 69.8" Wide Mirror 805 x 708 x 1774 mm 31.7" x 27.8" x 69.8" Wide Black 805 x 680 x 1774 mm 31.7" x 26.8" x 69.8"	Slim 674 x 679 x 1774 mm 26.5" x 26.7" x 69.8" Wide Black 805 x 680 x 1774 mm 31.7" x 26.8" x 69.8"	950 x 790 x 1830 mm 37.4" x 31.1" x 72"
83.5 kg 184.1 lb	Slim 114.3 kg 252.5 lb Wide Mirror 120.6 kg 266 lb Wide Black 131.5 / 290 lb	Slim 114.5 kg 252.5 lb Wide Black 131.7 kg / 290.4 lb	260 kg 573 lb
0.37 m ²	Slim 0,42 m ² Wide Mirror 0,57 m ² Wide Black 0,55 m ²	Slim 0,45 m ² Wide Black 0,55 m ²	1.74 m ²

Extend your warranty to 5 years

Register your product on our website within 3 months from the date of purchase.



Scan to register your product quickly and easily.

Guaranteed quality and reliability

Zumex juicing solutions comply with the most demanding international certifications, ensuring maximum quality, safety and hygiene.



No planned obsolescence



Zumex Group | Headquarters

Poligono Ind. Moncada III
C/ Moli, 2 46113 Moncada, Valencia - Spain
Tel. +34 961 301 251
zumex@zumex.com

Zumex France

Immeuble Panama
Parc Tertiaire Siliic 45 rue de Villeneuve
94573 Rungis Cedex, Paris - France
Tel. +33 975 187 354
zumexfrance@zumex.com

Zumex UK

17 Carlisle Street
W1D 3BU London, United Kingdom
Tel. +44 2035191292
zumexuk@zumex.com

Zumex Deutschland

Elisabethstraße 11
40217 Düsseldorf - Deutschland
Tel. +49 211 418 73351
zumexdeutschland@zumex.com

Zumex Mexico

Uxmal 616, Colonia Vértiz Narvarte
Alcaldía Benito Juárez, CP 03600
Mexico City - Mexico
Tel. +52 (55) 5212-0619
zumexmexico@zumex.com

Zumex North America

1573 NW 82nd Ave, Miami, FL 33126 - United States
Tel. +1 305 591 0061
Technical Assistance:
1-877-ZUMEX-TA (+1 877 986 3982)
zumexusa@zumex.com

En

11412
Jul. 2022

zumex[®]

zumex.com