



**Catalogue**  
FOOD SERVICE  
**Chapter**  
COOKING

**Specific model**  
C-E710 400V 3N

19068530

04/09/2023

**DENOMINATION:**

Countertop electric solid top with 4 cooking zones, 700 range.

**DESCRIPTION :**


"- Pressed surface tops manufactured in 1.5 mm thick AISI-304 stainless steel, with rounded edges, designed to prevent spilled liquid from pans from entering the interior of the oven.

- Stamped surface top with rounded corners for easy cleaning.
- Laser-cut joints, automatic welding and polishing. Hidden screws.
- "Solid top" model with four elements underneath the 16 mm-thick, 13CrMo4 plate, distributed so that they independently heat the four quarters of the plate. Solid-top dimensions: 720 x 455 mm.
- Power control with 7 positions for each heating element which makes it possible to work with different temperature gradients on the plate.
- 2.6 kW heating power for each heat point.
- Protection in the event of overheating of each heat source.
- Thermostat that activates the cooling fan for the electric components.
- Safety thermostat that ensures that the machine does not operate in the event of the overheating of the components.
- High-temperature enamelled cast iron flue protector.
- Access to components from the front.
- Easy connection and compliant with health standards.
- Machines with IPX5 grade water protection.

**POSSIBLE ACCESSORIES :**

- ACCESSORIES KORE
- STANDS 700
- TALL CHIMNEY KORE

**DIMENSIONS**



X Width	800 mm	X Gross width	840 mm
Y Depth	730 mm	Y Gross depth	822 mm
Z Height	290 mm	Z Gross height	535 mm
Net Weight	85,0 kg	Gross Weight	103,0 kg
Net volume	0,170 m3	Gross volume	0,369 m3

**ELECTRICITY TECHNICAL SPECIFICATIONS**

Electric power	10,400 kW
Amperage (A)	15,1A
Heating power	10,40 kW
Voltage	400V - 3N
Electric frequency	50/60Hz

**CONNECTIONS TECHNICAL SPECIFICATIONS**

230 V three-phase wiring	3X6MM2+T - 32A
Single-phase 230V wiring	2X10MM2+T - 63A
Three-phase +N 400V wiring	3X2,5MM2+T+N - 20A
Drain 1 diameter	25





**Catalogue**  
FOOD SERVICE  
**Chapter**  
COOKING

**Specific model**  
C-E710 400V 3N

19068530

04/09/2023

**C-E710**



E. Conexión eléctrica  
D. Desagüe  
1. Mando placas M

Electrical connection  
Drain  
M plates control



**Catalogue**  
FOOD SERVICE  
**Chapter**  
COOKING

**Specific model**  
MB-710

19057290

04/09/2023

**DENOMINATION:**

Stand, 1 module, 700 range.

**DESCRIPTION :**


- "- Manufactured with a solid structure in AISI-304 stainless steel.
- Hidden screws.
- Can be quickly connected to serve as a support for surface top elements from the KORE 700 range.
- "
- "- Can be used as an open storage element.
- Designed to be attached to optional kits: doors ."

**POSSIBLE ACCESSORIES :**

- ACCESSORIES KORE
- KORE WHEELS

**DIMENSIONS**

X Width	800 mm	X Gross width	840 mm
Y Depth	556 mm	Y Gross depth	822 mm
Z Height	600 mm	Z Gross height	750 mm
Net Weight	39,0 kg	Gross Weight	45,0 kg
Net volume	0,330 m3	Gross volume	0,518 m3





**Catalogue**  
FOOD SERVICE  
**Chapter**  
COOKING

**Specific model**  
MB-710

19057290

04/09/2023

